### PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

## Procurement of GOODS

Government of the Republic of the Philippines

# ONE (1) LOT- SUPPLY AND DELIVERY OF EMERGENCY COMMUNICATIONS SYSTEM (TWO-WAY RADIO) FOR MACTAN-CEBU INTERNATIONAL AIRPORT AUTHORITY (MCIAA)

(September 5, 2018)

Fifth Edition August 2016

### **TABLE OF CONTENTS**

SECTION I. INVITATION TO BID	3
SECTION II. INSTRUCTIONS TO BIDDERS	6
SECTION III. BID DATA SHEET	37
SECTION IV. GENERAL CONDITIONS OF CONTRACT	43
SECTION V. SPECIAL CONDITIONS OF CONTRACT	60
SECTION VI. SCHEDULE OF REQUIREMENTS	68
SECTION VII. TECHNICAL SPECIFICATIONS	69
SECTION VIII. BIDDING FORMS	75
SECTION IX. FOREIGN-ASSISTED PROJECTS	89

### Section I. Invitation to Bid

### Republic of the Philippines Department of Transportation Mactan-Cebu International Airport Authority Lapu-Lapu City

# INVITATION TO BID FOR ONE (1) LOT SUPPLY AN DELIVERY OF EMERGENCY COMMUNICATION SYSTEM (TWO-WAY RADIO) FOR MACTAN-CEBU INTERNATIONAL AIRPORT AUTHORITY

- 1. The Mactan-Cebu International Airport Authority (MCIAA), through the Corporate Budget for 2018 intends to apply the sum of Nineten Million Nine Hundred Seventy Three Thousand Four Hundred Seventy Two Pesos (Php 19,973,472.00) being the Approved Budget for the Contract (ABC) to payments under the contract for 1 lot Supply and Delivery of Emergency Communications System (Two-way Radio) for Mactan-Cebu International Airport Authority (MCIAA). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Mactan-Cebu International Airport Authority (MCIAA) now invites bids for One (1) lot Supply, Delivery, Installation, Testing and Commissioning of Airband & VHF Analog Radios and UHF Digital Two-way Radios with Dispatch System & Trunking Solution with NTC Licenses. Delivery of the Goods is required Ninety (90) Calendar Days. Bidders should have completed, within the last Ten (10) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
- 4. Interested bidders may obtain further information from *Mactan-Cebu International Airport Authority (MCIAA)* and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM, Mondays Fridays.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **September 5**, 2018 from the address below and upon payment of a non-refundable fee for the Bidding Documents in the amount of *Twenty Thousand Pesos and 00/100 (Php 20,000.00)*

·

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Mactan-Cebu International Airport Authority (MCIAA) will hold a Pre-Bid Conference<sup>1</sup> on September 14, 2018 @ 9:30 AM at the Bid and Awards Committee (BAC) office, formerly 2GO Building, Airport Road, Cargo Area, MCIA, Lapu-Lapu City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **September 26, 2018** @ 9:30 AM. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 18.

Bid opening shall be on September 26, 2018 @ 9:30 AM. at the MCIAA BAC Office, formerly 2GO Building, Airport Road, Cargo Area, Mactan-Cebu International Airport, Lapu-lapu City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.

- 8. [Insert such other necessary information deemed relevant by the Procuring Entity]
- 9. The *Mactan-Cebu International Airport Authority (MCIAA)* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

MCIAA, BIDS AND AWARDS COMMITTEE BAC Secretariat Mactan-Cebu International Airport Authority (032) 340-2486 local 1050/1052 Telefax no. (032) 341-4617 www.Mactan-Cebuairport.com.ph

> <u>ATTY. GLENN B. NAPULI</u> BAC Chairperson

.

<sup>&</sup>lt;sup>1</sup>May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

### Section II. Instructions to Bidders

### **TABLE OF CONTENTS**

A.	GEN	ERAL	9
	1.	Scope of Bid	9
	2.	Source of Funds.	9
	3.	Corrupt, Fraudulent, Collusive, and Coercive Practices	9
	4.	Conflict of Interest	10
	5.	Eligible Bidders	12
	6.	Bidder's Responsibilities	13
	7.	Origin of Goods	15
	8.	Subcontracts	16
В.	Con	TENTS OF BIDDING DOCUMENTS	.16
	9.	Pre-Bid Conference	16
	10.	Clarification and Amendment of Bidding Documents	17
C.	PREPARATION OF BIDS		.17
	11.	Language of Bid	17
	12.	Documents Comprising the Bid: Eligibility and Technical Components	
	13.	Documents Comprising the Bid: Financial Component	19
	14.	Alternative Bids	20
	15.	Bid Prices	20
	16.	Bid Currencies	22
	17.	Bid Validity	22
	18.	Bid Security	23
	19.	Format and Signing of Bids	25
	20.	Sealing and Marking of Bids	25
D.	SUBMISSION AND OPENING OF BIDS		
	21.	Deadline for Submission of Bids	26
	22.	Late Bids	26
	23.	Modification and Withdrawal of Bids	27
	24.	Opening and Preliminary Examination of Bids	27
E.	EVA	LUATION AND COMPARISON OF BIDS	.29
	25.	Process to be Confidential	29
	26.	Clarification of Bids	29
	27.	Domestic Preference	29

	28.	Detailed Evaluation and Comparison of Bids	30
	29.	Post-Qualification	31
	30.	Reservation Clause	32
F.	Aw	ARD OF CONTRACT	33
	31.	Contract Award	33
	32.	Signing of the Contract	34
	33.	Performance Security	35
	34.	Notice to Proceed	36
	35.	Protest Mechanism.	37

### A. General

### 1. Scope of Bid

- 1.1. The Procuring Entity named in the <u>BDS</u> invites bids for the supply and delivery of the Goods as described in Section VII. Technical Specifications.
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the <u>BDS</u>. The contracting strategy and basis of evaluation of lots is described in <u>ITB</u> Clause 28.

### 2. Source of Funds

The Procuring Entity has a budget or has received funds from the Funding Source named in the <u>BDS</u>, and in the amount indicated in the <u>BDS</u>. It intends to apply part of the funds received for the Project, as defined in the <u>BDS</u>, to cover eligible payments under the contract.

### 3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the <u>BDS</u>, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
  - (a) defines, for purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
    - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
    - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the

Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract:
- (v) "obstructive practice" is
  - deliberately destroying, falsifying, (aa) altering concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters to the administrative proceedings investigation or from pursuing such proceedings or investigation; or
  - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 3.1(a).
- 3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the GCC Clause 3.

### 4. Conflict of Interest

4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of

interest in any of the circumstances set out in paragraphs (d) through (g) below:

- (a) A Bidder has controlling shareholders in common with another Bidder;
- (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid;
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid; or
- (g) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.
- 4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity (HoPE), members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:
  - (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
  - (b) If the Bidder is a partnership, to all its officers and members;
  - (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders;
  - (d) If the Bidder is a cooperative, to all its officers, directors, and controlling shareholders or members; and

(e) If the Bidder is a joint venture (JV), the provisions of items (a), (b), (c), or (d) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

### 5. Eligible Bidders

- 5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:
  - (a) Duly licensed Filipino citizens/sole proprietorships;
  - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
  - (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
  - (d) Cooperatives duly organized under the laws of the Philippines; and
  - (e) Persons/entities forming themselves into a Joint Venture (JV), *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
  - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of RA 9184 and its IRR allow foreign bidders to participate;
  - (b) Citizens, corporations, or associations of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - (c) When the Goods sought to be procured are not available from local suppliers; or
  - (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government owned or -controlled corporations (GOCCs) may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.

5.4. Unless otherwise provided in the <u>BDS</u>, the Bidder must have completed a Single Largest Completed Contract (SLCC) similar to the Project and the value of which, adjusted, if necessary, by the Bidder to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least equivalent to a percentage of the ABC stated in the <u>BDS</u>.

For this purpose, contracts similar to the Project shall be those described in the **<u>BDS</u>**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(ii).

5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.

### 6. Bidder's Responsibilities

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in
- 6.2. Section VIII. Bidding Forms as required in **ITB** Clause 12.1(b)(iii).
- 6.3. The Bidder is responsible for the following:
  - (a) Having taken steps to carefully examine all of the Bidding Documents;
  - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
  - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;

- (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under ITB Clause 10.4.
- (e) Ensuring that it is not "blacklisted" or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
- (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- (g) Authorizing the HoPE or its duly authorized representative/s to verify all the documents submitted;
- (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary's Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
- (i) Complying with the disclosure provision under Section 47 of RA 9184 and its IRR in relation to other provisions of RA 3019;
- (j) Complying with existing labor laws and standards, in the case of procurement of services; Moreover, bidder undertakes to:
  - (i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the DOLE of underpayment or non-payment of workers' wage and wage-related benefits, bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of Republic Act No. 9184 without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

(ii) Comply with occupational safety and health standards and to correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, bidder undertakes to suspend contract implementation pending clearance to proceed from the DOLE Regional Office and to comply with Work Stoppage Order; and

- (iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises; and
- (k) Ensuring that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.4. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.5. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.6. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity. However, the Procuring Entity shall ensure that all information in the Bidding Documents, including bid/supplemental bid bulletin/s issued, are correct and consistent.
- 6.7. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.8. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.9. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

### 7. Origin of Goods

Unless otherwise indicated in the <u>BDS</u>, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

### 8. Subcontracts

- 8.1. Unless otherwise specified in the <u>BDS</u>, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the <u>BDS</u>. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

### **B.** Contents of Bidding Documents

### 9. Pre-Bid Conference

- 9.1. (a) If so specified in the <u>BDS</u>, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.
  - (b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid/bidding documents in the PhilGEPS website. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the **BDS**.
- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents as recorded in the minutes of the pre-bid conference and the Supplemental/Bid Bulletin. The minutes of the pre-bid conference shall be recorded and prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective bidders not later than five (5) days upon written request.
- 9.3 Decisions of the BAC amending any provision of the bidding documents shall be issued in writing through a Supplemental/Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

### 10. Clarification and Amendment of Bidding Documents

- 10.1. Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the **BDS** at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3. Supplemental/Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS and the website of the Procuring Entity concerned, if available, and at any conspicuous place in the premises of the Procuring Entity concerned. It shall be the responsibility of all Bidders who have properly secured the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with ITB Clause 23.

### C. Preparation of Bids

### 11. Language of Bids

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

### 12. Documents Comprising the Bid: Eligibility and Technical Components

- 12.1. Unless otherwise indicated in the <u>BDS</u>, the first envelope shall contain the following eligibility and technical documents:
  - (a) Eligibility Documents –

### Class "A" Documents:

- (i) PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.
- (ii) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement of the Bidder's SLCC similar to the contract to be bid, in accordance with ITB Clause 5.4, within the relevant period as provided in the **BDS**.

The two statements required shall indicate for each contract the following:

- (ii.1) name of the contract;
- (ii.2) date of the contract;
- (ii.3) contract duration;
- (ii.4) owner's name and address;
- (ii.5) kinds of Goods;
- (ii.6) For Statement of Ongoing Contracts amount of contract and value of outstanding contracts;
- (ii.7) For Statement of SLCC amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement;
- (ii.8) date of delivery; and
- (ii.9) end user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements.
- (iii) NFCC computation in accordance with ITB Clause 5.5 or a committed Line of Credit from a universal or commercial bank.

### Class "B" Document:

(iv) If applicable, the Joint Venture Agreement (JVA) in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR.

### (b) Technical Documents –

- (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
  - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
  - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
- (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
- (iii) Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in
- (iv) Section VIII. Bidding Forms.
- (v) For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

### 13. Documents Comprising the Bid: Financial Component

- 13.1. Unless otherwise stated in the **BDS**, the financial component of the bid shall contain the following:
  - (a) Financial Bid Form, which includes bid prices and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
  - (b) If the Bidder claims preference as a Domestic Bidder, a certification from the DTI issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
  - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the **BDS**, all bids that exceed the ABC shall not be accepted.

- (b) Unless otherwise indicated in the <u>BDS</u>, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
  - (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
  - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
  - (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
  - (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
  - (v) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

### 14. Alternative Bids

- 14.1 Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 14.2 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

### 15. Bid Prices

15.1. The Bidder shall complete the appropriate Schedule of Prices included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.

- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Schedule of Prices. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Government, except those required by law or regulations to be accomplished.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - (a) For Goods offered from within the Procuring Entity's country:
    - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
    - (ii) The cost of all customs duties and sales and other taxes already paid or payable;
    - (iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - (iv) The price of other (incidental) services, if any, listed in the **BDS**.
  - (b) For Goods offered from abroad:
    - (i) Unless otherwise stated in the <u>BDS</u>, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the <u>BDS</u>. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
  - (c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A

bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices for the given scope of work in the contract as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Upon the recommendation of the Procuring Entity, price escalation may be allowed in extraordinary circumstances as may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon approval by the GPPB. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

### 16. Bid Currencies

- 16.1. Prices shall be quoted in the following currencies:
  - (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
  - (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the *Bangko Sentral ng Pilipinas* (BSP) reference rate bulletin on the day of the bid opening.
- 16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.
- 16.3. Unless otherwise specified in the <u>BDS</u>, payment of the contract price shall be made in Philippine Pesos.

### 17. Bid Validity

- 17.1. Bids shall remain valid for the period specified in the <u>BDS</u> which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 17.2. In exceptional circumstances, prior to the expiration of the bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

### 18. Bid Security

18.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount stated in the <u>BDS</u>, which shall be not less than the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Not Less than the Percentage of the ABC)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.  For biddings conducted by LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	Two percent (2%)
For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the Bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any

- government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.
- 18.2. The bid security should be valid for the period specified in the <u>BDS</u>. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to Bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a request for reconsideration and/or protest, or upon the lapse of the reglementary period to file a request for reconsideration or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the Bidder with the Lowest Calculated Responsive Bid (LCRB) has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in **ITB** Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
  - (a) if a Bidder:
    - (i) withdraws its bid during the period of bid validity specified in ITB Clause 17;
    - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3(b);
    - (iii) has a finding against the veracity of any of the documents submitted as stated in **ITB** Clause 29.2;
    - (iv) submission of eligibility requirements containing false information or falsified documents;
    - (v) submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
    - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
    - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the LCRB;
    - (viii) refusal or failure to post the required performance security within the prescribed time;

- (ix) refusal to clarify or validate in writing its bid during postqualification within a period of seven (7) calendar days from receipt of the request for clarification;
- (x) any documented attempt by a Bidder to unduly influence the outcome of the bidding in his favor;
- (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
- (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
  - (i) fails to sign the contract in accordance with **ITB** Clause 32; or
  - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

### 19. Format and Signing of Bids

- 19.1 Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.
- 19.2 Forms as mentioned in **ITB** Clause 0 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3 The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In addition, the Bidder shall submit copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.
- 19.4 Each and every page of the Bid Form, including the Schedule of Prices, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 19.5 Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

### 20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in ITB Clause 12 in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. \_\_\_ TECHNICAL COMPONENT" and "COPY NO. \_\_\_ FINANCIAL COMPONENT" and the outer envelope as "COPY NO. \_\_\_ ", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.

### 20.4. All envelopes shall:

- (a) contain the name of the contract to be bid in capital letters;
- (b) bear the name and address of the Bidder in capital letters;
- (c) be addressed to the Procuring Entity's BAC in accordance with **ITB** Clause 1.1;
- (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
- (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

### D. Submission and Opening of Bids

### 21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity's BAC at the address and on or before the date and time indicated in the **BDS**.

### 22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared "Late" and shall

not be accepted by the Procuring Entity. The BAC shall record in the minutes of bid submission and opening, the Bidder's name, its representative and the time the late bid was submitted.

### 23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed and properly identified in accordance with ITB Clause 20, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Letter of Withdrawal must be executed by the duly authorized representative of the Bidder identified in the Omnibus Sworn Statement, a copy of which should be attached to the letter.
- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder, who has acquired the bidding documents, may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

### 24. Opening and Preliminary Examination of Bids

24.1. The BAC shall open the bids in public, immediately after the deadline for the submission and receipt of bids, as specified in the <u>BDS</u>. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and reschedule the opening of Bids on the next working day or at the soonest possible time through the issuance of a Notice of

- Postponement to be posted in the PhilGEPS website and the website of the Procuring Entity concerned.
- 24.2. Unless otherwise specified in the <u>BDS</u>, the BAC shall open the first bid envelopes and determine each Bidder's compliance with the documents prescribed in ITB Clause 12, using a non-discretionary "pass/fail" criterion. If a Bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.3. Unless otherwise specified in the <u>BDS</u>, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in **ITB** Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.4. Letters of Withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened.
- 24.5. All members of the BAC who are present during bid opening shall initial every page of the original copies of all bids received and opened.
- 24.6. In the case of an eligible foreign bidder as described in **ITB** Clause 5, the following Class "A" Documents may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned, which shall likewise be uploaded and maintained in the PhilGEPS in accordance with Section 8.5.2 of the IRR:
  - (a) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
  - (b) Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located; and
  - (c) Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission.
- 24.7. Each partner of a joint venture agreement shall likewise submit the requirements in ITB Clause 12.1(a)(i). Submission of documents required

- under **ITB** Clauses 12.1(a)(ii) to 12.1(a)(iii) by any of the joint venture partners constitutes compliance.
- 24.8. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 24.8 The bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids as read and the minutes of the bid opening shall be made available to the public upon written request and payment of a specified fee to recover cost of materials.
- 24.9 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through its PhilGEPS-registered physical address or official e-mail address. The notice shall be issued within seven (7) calendar days from the date of the bid opening.

### E. Evaluation and Comparison of Bids

### 25. Process to be Confidential

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

### 26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

### 27. Domestic Preference

27.1. Unless otherwise stated in the <u>BDS</u>, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:

- (a) The preference shall be applied when the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder.
- (b) For evaluation purposes, the lowest Foreign Bid shall be increased by fifteen percent (15%).
- (c) In the event that the lowest bid offered by a Domestic Bidder does not exceed the lowest Foreign Bid as increased, then the Procuring Entity shall award the contract to the Domestic Bidder at the amount of the lowest Foreign Bid.
- (d) If the Domestic Bidder refuses to accept the award of contract at the amount of the Foreign Bid within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

### 28. Detailed Evaluation and Comparison of Bids

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
  - (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
  - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the following in the evaluation of bids:
  - (a) <u>Completeness of the bid.</u> Unless the <u>BDS</u> allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0)

- or a dash (-) for the said item would mean that it is being offered for free to the Procuring Entity, except those required by law or regulations to be provided for; and
- (b) <u>Arithmetical corrections.</u> Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 28.5. The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Schedule of Prices.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.
- 28.7. If so indicated pursuant to **ITB** Clause 1.2, Bids are being invited for individual lots or for any combination thereof, provided that all Bids and combinations of Bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by **ITB** Clause 18 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in BDS Clause 28.3.

### 29. Post-Qualification

- 29.1. The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.
- 29.2. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, and recommend to the HoPE the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid with a fresh period to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the LCRB is determined for recommendation for contract award.
- 29.6. Within a period not exceeding fifteen (15) calendar days from the determination by the BAC of the LCRB and the recommendation to award the contract, the HoPE or his duly authorized representative shall approve or disapprove the said recommendation.
- 29.7. In the event of disapproval, which shall be based on valid, reasonable, and justifiable grounds as provided for under Section 41 of the IRR of RA 9184, the HoPE shall notify the BAC and the Bidder in writing of such decision and the grounds for it. When applicable, the BAC shall conduct a post-qualification of the Bidder with the next Lowest Calculated Bid. A request for reconsideration may be filed by the bidder with the HoPE in accordance with Section 37.1.3 of the IRR of RA 9184.

### **30.** Reservation Clause

30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as

- ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.
- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
  - (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
  - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
  - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
    - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE;
    - (ii) If the project is no longer necessary as determined by the HoPE; and
    - (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
  - (a) No bids are received;
  - (b) All prospective Bidders are declared ineligible;
  - (c) All bids fail to comply with all the bid requirements or fail post-qualification; or
  - (d) The bidder with the LCRB refuses, without justifiable cause to accept the award of contract, and no award is made in accordance with Section 40 of the IRR of RA 9184.

### F. Award of Contract

### 31. Contract Award

- 31.1. Subject to **ITB** Clause 29, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
  - (a) Submission of the following documents within ten (10) calendar days from receipt of the Notice of Award:
    - (i) Valid JVA, if applicable; or
    - (ii) In the case of procurement by a Philippine Foreign Service Office or Post, the PhilGEPS Registration Number of the winning foreign Bidder;
  - (b) Posting of the performance security in accordance with **ITB** Clause 33;
  - (c) Signing of the contract as provided in ITB Clause 32; and
  - (d) Approval by higher authority, if required, as provided in Section 37.3 of the IRR of RA 9184.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

### **32.** Signing of the Contract

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security, sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:

- (a) Contract Agreement;
- (b) Bidding Documents;
- (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- (d) Performance Security;
- (e) Notice of Award of Contract; and
- (f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

### 33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The Performance Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount not less than the percentage of the total contract price in accordance with the following schedule:

Form of Performance Security	Amount of Performance Security (Not less than the Percentage of the Total Contract Price)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	
For biddings conducted by the LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	Five percent (5%)
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	

For biddings conducted by the Bank LGUs. the Draft/ Guarantee or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue financial instrument. (c) Surety bond callable upon demand issued by a surety or company insurance duly Thirty percent (30%) certified by the Insurance Commission as authorized to issue such security.

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall have a fresh period to initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for recommendation of contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement, if necessary.

### 34. Notice to Proceed

Within seven (7) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue the Notice to Proceed (NTP) together with a copy or copies of the approved contract to the successful Bidder. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

### 35. Protest Mechanism

Decisions of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the IRR of RA 9184.

## Section III. Bid Data Sheet

## **Bid Data Sheet**

ITB Clause	
1.1	The Procuring Entity is Mactan-Cebu International Airport Authority (MCIAA)
	The name of the Contract is <i>One (1) lot Supply and Delivery of Emergency Communications System (Two-way Radio) for Mactan-Cebu International Airport Authority (MCIAA).</i> The identification number of the Contract is [insert identification number of the contract as provided in the Invitation to Bid].
1.2	The lot(s) and reference is/are:
	[insert name]
2	The Funding Source is:
	The Government of the Philippines (GOP) through MCIAA Corporate Budget for the year 2018 in the amount of Nineteen Million Nine Hundred Seventy Three Thousand Four Hundred Seventy Two Pesos (Php 19,973,472.00)
	The name of the Project is: One (1) lot Supply and Delivery of Emergency Communications System (Two-way Radio) for Mactan-Cebu International Airport Authority (MCIAA).
3.1	No further instructions.
5.1	In addition to 5.1 a., b., c., d., and e.:
	<ol> <li>The bidder/supplier must have a radio communications business establishment in Cebu (Main or Branch) for at least five years.</li> <li>The bidder/supplier must have a National</li> </ol>
	Telecommunications Commissions (NTC) license/permit to sell.  3. The bidder/supplier must have a single largest project for the last
	Ten (10) years with an amount of at least 50% of the ABC which
	is similar to the project. 4. The bidder/supplier must be a manufacturer's certified
	distributor/dealer of digital radio products, dispatch system
	software and trunking software from the manufacturer of the product offered for at least five (5) years.
	5. The bidder/supplier must have a certified manufacturer's trained
	technical permanent personnel(s) for digital radios, dispatch system and trunking solution.
	6. In case of a Joint Venture (JV), partners shall meet the ff.
	qualifications:
	a.) Both partners must have a National Telecommunications Commissions (NTC) license/permit to sell.
	b.) One of the partner must have a radio communications

	,
	business establishment in Cebu for at least five years and the other partner must have radio communications business establishment anywhere in the Philippines for at least five (5) years.  c.) One of the partner must have a single largest project for the last Ten (10) years with an amount of at least 50% of the ABC which is similar to the project and the other partner must have a similar project 50% of the ABC or less.  d.) Both partners must be a certified distributor/dealer of digital radio products, dispatch system software and trunking software from the manufacturer of the product offered for at least five (5) years.  e.) One of the partner must have a certified manufacturer's trained technical permanent personnel(s) for digital radios, dispatch system and trunking solution.
5.2	Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC. (Php 9,986,736.00)
	Similar project refers to the Supply, Installation, Testing and Commissioning of Two-way Digital Radio with Dispatch System and Trunking Solution.
7	No further instructions.
8.1	Subcontracting is not allowed
8.2	"Not applicable".
9.1	The Procuring Entity will hold a pre-bid conference for this Project on September 14, 2018 @ 9:30 AM at MCIAA BAC Office, Lapu-Lapu City.
10.1	The Procuring Entity's address is:
	Mactan-Cebu International Airport Authority Lapu-lapu City, Cebu 6016

	16 16 1 116 P
	Mr. Michael M. Bacarisas
	BAC Secretariat
	Telefax: (032) 3414617
10.1	E-mail Add: mmb 214@yahoo.com
12.1	Submit the following requirements in addition to legal and technical documents.
	1.) Bidder's SEC registration or DTI Certificate for the last five (5) years (in case of JV, both partners shall submit).
	2.) Bidder's license/permit to sell from National Telecommunications
	Commission (in case of JV, both partners shall submit).
	3.) Bidder's certificate of distributorship/dealership of digital radio, dispatch system software and trunking software from the manufacturer
	of the product offered (in case of JV, both partners shall submit) 4.) Certificate of training for Two-way Digital Radio of the Bidder's existing permanent personnel(s) from the manufacturer of the product
10.1(.)(:)	offered (in case of JV, one of the partner shall submit)
12.1(a)(ii)	The bidder's SLCC similar to the contract to be bid should have been completed within <i>the last ten (10) years</i> prior to the deadline for the submission and receipt of bids.
13.1	1. Bid Offer
	2. Bill of Quantities
	3. Delivery, Installation Testing and Commissioning, Building Permit
	Costs for each Equipment
	4. Cost of NTC license for each radio Equipment
	<ul> <li>5. Guarantee certificate from the manufacturer to supply, support and provide technical assistance to the project (system, equipment, spare parts, software, license and accessories) for at least 10 years.</li> <li>6. Guarantee certificate from the bidder to supply, support and provide</li> </ul>
	technical assistance to the project (system, equipment, spare parts, software, license and accessories) for at least 10 years (in case of JV, both partners shall submit).
	7. Schedule of Requirements
	8. Technical Specifications
13.1(b)	No further instructions.
13.1(c)	List any additional required document(s) or state "No additional requirements."
13.2	The ABC is Php 19,973,472.00. Any bid with a financial component exceeding this amount shall not be accepted.
15.4(a)(iv)	"No incidental services are required."
15.4(b)	"Not applicable",
	"No incidental services are required."
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
	·

16.3	"Not applicable"
17.1	Bids will be valid until 120 calendar days after the Bid opening
18.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	1. The amount of not less than <i>Php 399,469.44 [2% of ABC]</i> , if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	2. The amount of not less than <i>Php 998,673.60 [5% of ABC]</i> if bid security is in Surety Bond.
18.2	The bid security shall be valid until 120 days after the Bid Opening.
20.3	Each Bidder shall submit [1] original and [4] copies of the first and second components of its bid.
21	The address for submission of bids is MCIAA BAC Office, Terminal Bldg., Lapu-lapu City, Cebu 6016
	The deadline for submission of bids is <b>September 26, 2018</b> at 9:30 in the <b>morning</b> .
24.1	The place of bid opening is MCIAA BAC Office, Terminal Bldg., Lapulapu City, Cebu 6016
	The date and time of bid opening is <b>September 26, 2018</b> at 9:30 in the <b>morning</b> .
24.2	No further instructions.
24.3	No further instructions.
27.1	No further instructions.
28.3 (a)	Grouping and Evaluation of Lots –
	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
28.4	No further instructions.
29.2	Bidders must submit tax returns filed through the Electronic Filing and Payments System (EFPS).
	NOTE: The latest income and business tax returns are those within the last

	six months preceding the date of bid submission.				
32.4(f)	List additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, or state "No additional requirement."				

## Section IV. General Conditions of Contract

## **TABLE OF CONTENTS**

1.	DEFINITIONS	45
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES	46
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	
4.	GOVERNING LAW AND LANGUAGE	
5.	NOTICES	
6.	SCOPE OF CONTRACT	
7.	SUBCONTRACTING	48
8.	PROCURING ENTITY'S RESPONSIBILITIES	
9.	PRICES	48
10.	PAYMENT	49
11.	ADVANCE PAYMENT AND TERMS OF PAYMENT	49
12.	TAXES AND DUTIES	
13.	PERFORMANCE SECURITY	50
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	51
15.	STANDARDS	
16.	INSPECTION AND TESTS	51
17.	WARRANTY	52
18.	DELAYS IN THE SUPPLIER'S PERFORMANCE	53
19.	LIQUIDATED DAMAGES	53
20.	SETTLEMENT OF DISPUTES	53
21.	LIABILITY OF THE SUPPLIER	54
22.	FORCE MAJEURE	54
23.	TERMINATION FOR DEFAULT	54
24.	TERMINATION FOR INSOLVENCY	55
25.	TERMINATION FOR CONVENIENCE	55
26.	TERMINATION FOR UNLAWFUL ACTS	
<b>27.</b>	PROCEDURES FOR TERMINATION OF CONTRACTS	
-	ASSIGNMENT OF RIGHTS	

29.	CONTRACT AMENDMENT	58
<b>30.</b>	APPLICATION	58

#### 1. **Definitions**

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
  - (a) "The Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
  - (c) "The Goods" means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
  - (d) "The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
  - (e) "GCC" means the General Conditions of Contract contained in this Section.
  - (f) "SCC" means the Special Conditions of Contract.
  - (g) "The Procuring Entity" means the organization purchasing the Goods, as named in the <u>SCC</u>.
  - (h) "The Procuring Entity's country" is the Philippines.
  - (i) "The Supplier" means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the <u>SCC</u>.
  - (j) The "Funding Source" means the organization named in the <u>SCC</u>.
  - (k) "The Project Site," where applicable, means the place or places named in the <u>SCC</u>.
  - (1) "Day" means calendar day.
  - (m) The "Effective Date" of the contract will be the date of signing the contract, however the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed and copy of the approved contract.

(n) "Verified Report" refers to the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

#### 2. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 2.1. Unless otherwise provided in the <u>SCC</u>, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:
  - (a) defines, for the purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
    - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
    - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
    - (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
    - (v) "obstructive practice" is
      - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an

administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

- (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in GCC Clause 2.1(a).

## 3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

## 4. Governing Law and Language

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

#### 5. Notices

5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the

- <u>SCC</u>, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.
- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the <u>SCC</u> for GCC Clause 5.1.

## **6.** Scope of Contract

- 6.1. The Goods and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the SCC.

## 7. Subcontracting

- 7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. If subcontracting is allowed, the Supplier may identify its subcontractor during contract implementation. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract. In either case, subcontractors must submit the documentary requirements under ITB Clause 12 and comply with the eligibility criteria specified in the <u>BDS</u>. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.

## 8. Procuring Entity's Responsibilities

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with GCC Clause 6.

#### 9. Prices

9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon

- prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.
- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with GCC Clause 29.

#### 10. Payment

- 10.1. Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in GCC Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the SCC provision for GCC Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to GCC Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the schedule stated in the SCC.
- 10.4. Unless otherwise provided in the <u>SCC</u>, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.
- 10.5. Unless otherwise provided in the <u>SCC</u>, payments using Letter of Credit (LC), in accordance with the Guidelines issued by the GPPB, is allowed. For this purpose, the amount of provisional sum is indicated in the <u>SCC</u>. All charges for the opening of the LC and/or incidental expenses thereto shall be for the account of the Supplier.

## 11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.
- 11.3. For Goods supplied from abroad, unless otherwise indicated in the <u>SCC</u>, the terms of payment shall be as follows:

- (a) On Contract Signature: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.
- (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents.
- (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.

#### 12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

## 13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
  - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;

- (b) The Supplier has no pending claims for labor and materials filed against it; and
- (c) Other terms specified in the <u>SCC</u>.
- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

#### 14. Use of Contract Documents and Information

- 14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in GCC Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

#### 15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

#### 16. Inspection and Tests

- 16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The <u>SCC</u> and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.

- 16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

#### 17. Warranty

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the <u>SCC</u>. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) of the total Contract Price or other such amount if so specified in the <u>SCC</u>. The said amounts shall only be released after the lapse of the warranty period specified in the <u>SCC</u>; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the <u>SCC</u> and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in GCC Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity

may have against the Supplier under the Contract and under the applicable law.

#### 18. Delays in the Supplier's Performance

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under GCC Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3. Except as provided under GCC Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 19, unless an extension of time is agreed upon pursuant to GCC Clause 29 without the application of liquidated damages.

### 19. Liquidated Damages

Subject to GCC Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity may rescind or terminate the Contract pursuant to GCC Clause 23, without prejudice to other courses of action and remedies open to it.

## 20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

### 21. Liability of the Supplier

- 21.1. The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the SCC.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

### 22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier's delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Supplier could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

#### 23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
  - (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contact price;
  - (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
  - (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under GCC Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

## 24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

#### 25. Termination for Convenience

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of

Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:

- (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.
- 25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

#### 26. Termination for Unlawful Acts

- 26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:
  - (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause 3.1(a);
  - (b) Drawing up or using forged documents;
  - (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
  - (d) Any other act analogous to the foregoing.

#### 27. Procedures for Termination of Contracts

- 27.1. The following provisions shall govern the procedures for termination of this Contract:
  - (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
  - (b) Upon recommendation by the Implementing Unit, the HoPE shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:

- (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
- (ii) the extent of termination, whether in whole or in part;
- (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
- (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
- (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating this Contract;
- (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
- (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate:
- (g) The HoPE may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the HoPE; and
- (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

## 28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

## 29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

## 30. Application

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

# Section V. Special Conditions of Contract

# **Special Conditions of Contract**

GCC Clause				
1.1(g)	The Procuring Entity is Mactan-Cebu International Airport Authority			
1.1(i)	The Supplier is [to be inserted at the time of contract award].			
1.1(j)	The Funding Source is			
	the Government of the Philippines (GOP) through MCIAA Corporate Budget CY 2018 in the amount of Php 19,973,472.00).			
1.1(k)	The Project Site is <i>Mactan-Cebu International Airport</i> .			
2.1	No further instructions.			
5.1	The Procuring Entity's address for Notices is:  Mactan-Cebu International Airport Authority  MCIA, Lapulapu City 6016			
	The Supplier's address for Notices is: [Insert address including, name of contact, fax and telephone number]			
6.2	Delivery and Documents –			
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered [insert place of destination]. In accordance with INCOTERMS."			
	For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:			
	For Goods supplied from within the Philippines:			

Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:

- (i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- (ii) Original and four copies delivery receipt/note, railway receipt, or truck receipt;
- (iii) Original Supplier's factory inspection report;
- (iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Original and four copies of the certificate of origin (for imported Goods);
- (vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;
- (vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
- (viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

#### For Goods supplied from abroad:

Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

- (i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- (ii) Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading;
- (iii) Original Supplier's factory inspection report;
- (iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Original and four copies of the certificate of origin (for imported Goods);
- (vi) Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;

- (vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
- (viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is *Engr. Wilfredo V. Castro*.

#### Incidental Services –

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

*Select appropriate requirements and delete the rest.* 

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.* 

- (a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:

- i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
- ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period *of at least 10 years*.

Other spare parts and components shall be supplied as promptly as possible, but in any case within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

**Contract Description** 

**Final Destination** 

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

#### Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered *force majeure* in accordance with GCC Clause 22.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

	Patent Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.4	Payment shall be made in Philippine Currency.
10.5	Payment using LC is not allowed.
11.3	State "Maintain the GCC Clause."
	or
	State "The terms of payment shall be as follows:"
13.4(c)	Specify additional conditions, if any, that must be met prior to the release of the performance security, otherwise, state "No further instructions".
16.1	The inspections and tests that will be conducted are:  1. Testing of all the digital radio units at MCIA complex area especially airside and isolated area of a building (Portable) and at least Ten (10) kilometers radius North, South, East and West from the MCIA repeater site for Mobile Base and Portable Radio units,  : a.) Voice shall be Level 4.5 "Speech easily understood.  Occasional noise/distortion." of the Delivered Audio Quality (DAQ) Levels standard.  b.) Text must be readable.  c.) Locations of the units with GPS must be seen at the dispatch console display monitor.  d.) Radio alarm shall be hearable.  2. Testing of all the Airband and VHF radio units at MCIA complex area especially airside:  a.) Voice shall be Level 4.5 "Speech easily understood. Occasional noise/distortion." of the Delivered Audio Quality (DAQ) Levels standard.
17.3	If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.  If the Goods pertain to Non-expendable Supplies: Warranty of each equipment and material is stated in the Technical Specifications and counted after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is [insert number of days].
21.1	State here "No additional provision." or, if the Supplier is a joint venture, "All partners to the joint venture shall be jointly and severally liable to the Procuring Entity."

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	Description	Quantity	Total	Delivered, Weeks/Months
Number				
I.	Supply and Delivery of UHF Digital Repeaters, Peripherals and Accessories			
1.	UHF Digital Repeater	3 units		90 calendar days
2.	Repeater Back up Battery	3 units		90 calendar days
3.	Antenna 1 (Repeater)	6 units		90 calendar days
4.	Repeater AC Surge Protector	3 pcs		90 calendar days
5.	Repeater Tx Surge Protector	3 pcs		90 calendar days
6.	Repeater Rx Surge Protector	3 pcs		90 calendar days
7.	Network Switch	1 unit		90 calendar days
8.	Antenna Base 1 (Repeater Site)	1 set		90 calendar days
9.	2 KVA UPS	1 unit		90 calendar days
10.	RF Coaxial Cable	1.5 roll		90 calendar days
11.	IDF Cabinet	1 pc		90 calendar days
12.	2" PE Pipe, Clamps, Pull Boxes, cement, sand,	1 lot		90 calendar days
	gravel, etc			
II.	Supply and Delivery of UHF Digital Fix Base			
42	Radio, Peripherals and Accessories	4.4 ! ! -		00
13.	UHF Digital Fix Base Radio Units	14 units		90 calendar days
14.	Antenna 2 (Base Radio)	14 units		90 calendar days
15.	Antenna Base 2 (Fire Base Area)	1 set		90 calendar days
16.	Antenna Base 3 (Gen. Av. Area)	1 set		90 calendar days
17.	Antenna Base 4 (Individual)	3 set		90 calendar days
18.	RF Coaxial Cable	1.5 roll		90 calendar days
19.	13.8 V Regulated Power Supply	14 pcs		90 calendar days
20.	6 KVA UPS	2 units		90 calendar days
21.	External Battery Module for 6 KVA UPS	3 units		90 calendar days
22.	UHF Portable Antenna	3 pcs		90 calendar days
23.	1.5 KVA UPS	7 pcs		90 calendar days
III.	Supply and Delivery of UHF Digital Mobile Radios with GPS, Peripherals and Accessories			
24.	UHF Digital Mobile Base Radio Units with GPS	21 units		90 calendar days
25.	Magnet Mount Mobile Antenna with GPS	21 sets		90 calendar days
IV.	Supply and Delivery of UHF Digital Portable			
26	Radios with GPS, Peripherals and Accessories  UHF Digital Portable Radio Unit 1 with GPS	70 units		00 calondar days
26.	Spare Battery 1			90 calendar days
27.	UHF Digital Portable Radio Unit 2 with GPS	55 pcs		90 calendar days 90 calendar days
28.		21 units		•
29.	Spare Battery 2	10 pcs		90 calendar days
29-1.	Call/Transmit Interrupt	15 units		90 calendar days
30.	Multiple Charger 1	8 pcs		90 calendar days

31.	Multiple Charger 2	2 pcs	90 calendar days
32.	Remote Speaker Microphone	81	90 calendar days
	·		,
V.	Supply and Delivery of UHF Digital Portable Radios without GPS, Peripherals and Accessories		
33.	UHF Digital Portable Radio Unit without GPS	52 units	90 calendar days
34.	Spare Battery 3 (Digital Portable Radio Unit)	15 pcs	90 calendar days
	7	- 1	,
VI.	Supply and Delivery of Dispatch System		
35.	Computer Unit	1 set	90 calendar days
36.	LED Monitor	2 pcs	90 calendar days
37.	Sound Card	1 pc	90 calendar days
38.	HDMI Cable	2 pcs	90 calendar days
39.	Dispatch System Software	1 lot	90 calendar days
40.	Dispatch System Software License (Radio Units)	178 units	90 calendar days
VII.	Supply and Delivery of Trunking System		
41.	Trunking Software License (Repeater Units)	3 units	90 calendar days
42.	Trunking Software License (Radio Units)	181 units	90 calendar days
			,
VIII.	Supply and Delivery of VHF Analog Airband		
	Base Radios, Peripherals and Accessories		
43.	VHF Analog Airband Base Radio Units	7 units	90 calendar days
44.	Antenna 3 (Airband Fix Base Radio)	5 pcs	90 calendar days
45.	13.8 V Regulated Power Supply	7 pcs	90 calendar days
46.	Antenna Base 4 (Individual)	1 set	90 calendar days
47.	Portable Antenna (indoor)	2 pcs	90 calendar days
48.	VHF Analog Airband Mobile Radio Units	6 units	90 calendar days
49.	Magnet Mount Mobile Antenna	6 pcs	90 calendar days
IX.	Supply and Delivery of VHF Analog Base Radios, Peripherals and Accessories		
50.	VHF Analog Fix Base Radio Units	3 units	90 calendar days
51.	Antenna (VHF Analog Fix Base Radio)	3 pcs	90 calendar days
52.	13.8 V Regulated Power Supply	3 pcs	90 calendar days
53.	VHF Analog Mobile Base Radio Units	9 units	90 calendar days
54.	Magnet Mount Antenna	9 pcs	90 calendar days
X.	Supply and Delivery of Radio Peripherals & Accessories, and Other Materials		
55.	13.8 V Regulated Power Supply (for UHF Analog Fix Base Radios)	4 pcs	90 calendar days
56.	Antenna (for UHF Analog Fix Base Radios)	3 pcs	90 calendar days
57.	Electrical Wire, Plug, Outlet, etc	1 lot	90 calendar days
58.	Patch Cords, Connectors (PL 259, BNC etc) and other materials	1 lot	90 calendar days
59.	Tables and Chairs	1 lot	90 calendar days
60.	Installation of all the items listed	1 lot	30 days
61.	Programming of the radio units	1 lot	14 days
62.	Testing and Commissioning	1 lot	+10 days
63.	Trainings	50	7 days
	a.) Proper Care and Basic Operation of the new	_	
	Digital Mobile, Fix and Portable radios to at	1 lot	3 days

	least fifty (55+) personnel per session in six		
	(6) sessions at 4 hours per session (half day).		
	b.) Operations and actual hands on of the	1 lot	
	Trunking and Dispatch System to at least twenty		1 day
	(30) personnel.		·
	c.) Administration, Frequency Programming,		
	Maintenance, Troubleshooting and Repair of	1 lot	1 day
	the new Digital radios.		
64.	Documentations	1 lot	
65.	Building Permits & Fees	1 lot	15 days
66.	Other related works	1 lot	15 days
67.	Apply and Process NTC Licenses for repeaters		90 days
	and all radio units		
	a.) License Fees	1 lot	
	b.) Inspection Fees	1 lot	
	c.) Permit to Possess Fees	1 lot	
	d.) Filing Fees	1 lot	
	e.) Network Diagram	1 lot	
	f.) engineering Plan	1 lot	
	g.) Other related works	1 lot	

(Name and Signature of the Authorized Signatory/Representative)

# Section VII. Technical Specifications

# **Technical Specifications**

ITEM NO.	SPECIFICATION	STATEMENT OF COMPLIANCE AND CROSS REFERENCE	
		Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).	
1.	UHF Digital Repeater		
	GENERAL		
	1.1 Frequency: 400 – 470 MHz or better		
	1.2 Channel Frequency : 16 Channels or better		
	1.3 Channel Spacing: 25 KHz / 12.5KHz		
	1.4 Frequency Stability : ±0.5ppm		
	1.5 RF Output Power : 100 Watts		
	1.6 Input Voltage (DC) : 12 V (11-15.5 V), 24 V (21.6-32 V)		

1.7 Input Power Modes : AC only, DC only, AC with Battery Revert	
1.8 Operating Temperature Rating : -30°C to +60°C or better	
1.9 Humidity: RH of 95%, Non condensing at 50°C or better	
1.10 Max Duty Cycle : 100%	
1.11 Digital Vocoder Type : AMBE+2 or better	
1.12 Battery Charger Capacity (12/24V) : 5 A or better	
1.13 External Reference : 5/10 MHz (Auto Detect)	
1.14 Supported System Types: Analog Conventional, Analog Conventional Voting, Digital Conventional, MPT 1327, Dispatch System, Multi Site Connect through IP Network, Etc	
1.15 Multiple Access (Multiplexing): Time Division Multiple Access (TDMA)	
1.16 Audio Levels : Input : Balance : +10 to -30 dBm or better Unbalanced : Adjustable, 80 mV rms nominal for 60% RSD or better	
Output: Balance: + 7 to -30 dBm or better Unbalanced: Adjustable, 330 mV rms nominal for @60% RSD or better	
1.17 FCC Emission Designators: 11K0F3E, 16K0F3E, 7K60FXD, 7K60F7D, 7K60FX, 7K60F7E, 7K60F7W	
1.18 FCC Type Acceptance : Yes	
1.19 Dimension : Rackmount 19"	
RECEIVER	
1.20 Sensitivity (12dB SINAD) : 0.3μV or better	
1.21 Sensitivity (5% BER) : 0.25μV or better	
1.22 Selectivity (TIA – 603D) : 78 dB @ 25 KHz / 52 @ 12.5 kHz or better	
1.23 Selectivity (TIA - 603): 80 dB @ 25 KHz / 75 @ 12.5 kHz or better	
1.24 Intermodulation Rejection :  TIA – 603 : 85 dB or better  ETSI : 73 dB or better	
1.25 Spurious Rejection : TIA – 603 : 85 dB or better	

	ETSI: 73 dB or better	
	1.26 Blocking: >110dB or better	
	1.27 Hum and Noise : -50dB @ 25kHz	
	1.28 Audio Distortion : ≤3% or better	
	TRANSMITTER	
	1.29 RF Output Power : DC 24 V or AC 1 – 100W, DC 12 V 1-50W	
	1.30 Max Duty Cycle: 100 %	
	1.31 Intermodulation Attenuation : 55 dB or better	
	1.32 Adjacent Channel Power (TIA603D) : 75 dB or better (25 KHZ), 60 dB or better (12.5 KHZ)	
	1.33 Adjacent Channel Power (ETSI) : 75 dB or better (typical 78 dB) 25 KHz, 60 dB or better (typical 62 dB) 12.5 KHz	
	1.34 Conducted Spurious Emission : 40 dBm < 1 GHz, -30 dBm > 1 GHz	
	1.35 Audio Response : TIA603D or better	
	1.36 Audio Distortion : ≤3% or better (<1% typical)	
	1.37 Hum and Noise : -45 dB or better @ 12.5 KHz (-52 dB typical), - 50 dB or better @ 25 KHz (-55 dB typical)	
	1.38 Rated System Deviation : ± 5.0 or better 25 KHz, ± 2.5 or better 12.5 KHz	
	1.39 Product Compliance (Standards): ETSI 300 – 086, ETSI 300 – 113,  TIA/EID603D, CE Marked, RoHS2 – Compliant,  UL Listed, Digital Protocol – ETSI 102 – 361,  DMR Operation Mode Tier II/ Tier III	
	1.40 Warranty : at least 2 years	
2.	Backup BATTERY	
	2.1 Nominal Voltage : 12V	
	2.2 Nominal Capacity (10 hour rate) : 100Ah	
	2.3 Capacity 25°C:  20 hour rate (2.11A): 111Ah  5 hour rate (6.9A): 91.5Ah  1 hour rate (25.3A): 66.5Ah	
	2.4 Internal Resistance : Full Charged Battery 25°C : ≤5.0mΩ	

	2.5 Capacity affected by temperature (10 hour): 40°C: 102%	
	25°C :100%	
	0°C:85%	
	-15°C : 65%	
	2.6 Self – discharge 25°C Capacity : After 3 month storage : 90%	
	After 6 month storage: 80%	
	After 12 month storage : 62%	
	2.7 Charge(Constant Voltage) 25 °C:	
	Float: Initial charging current less than 25.0A	
	Voltage 13.6 - 13.8V	
	Voltage 13.0 - 13.0V	
	Cycle: Initial charging current less than 25.0A	
	Voltage 14.4 - 14.9V	
	2.8 Battery Construction :	
	,	
	Positive plate : Lead dioxide	
	· ·	
	Negative plate : Lead	
	Container : ABS	
	Cover : ABS	
	Safety Valve : Si – Rubber	
	Terminal : Copper	
	Separator : Fiberglass	
	Electrolyte : Sulfuric acid	
	2.9 Design Life : 10 years	
3.	Antenna 1 (for Repeater)	
	0.411115	+
	3.1 UHF	
	3.2 eight (8) bay, dual exposed dipole (16 loops, 8 loops back to back)	
	3.3 Gain : 8.5 or better	
	3.3 3411 1 3.3 31 20000	
	2.4 Marriagnas Darriagnas 150 matter and batter	
	3.4 Maximum Power : 150 watts or better	
	3.5 Pattern : Elliptical/multi directional pattern	
	3.6 VSWR : 1.2 :1 or better	
	2.7 Peterd Wind Velocity v 150 KmH on better	
	3.7 Rated Wind Velocity : 150 KpH or better	
	3.8 imported or locally fabricated	
	3.9 Warranty : at least 1 year	
	1 2	
	+	+
4.	AC Surge Suppressor	
٦.	Le ani Pe anhhi essoi	
	Features :	
	i catal co i	
		1

	4.1 Thermal desconnect device	
	4.2 High current capacity, quick response	
	4.3 Low residual voltage, free of leakage current	
	4.4 Remote warning	
	4.5 40 kA maximum surge current	
	4.6 Easy installation win DIN rail mounting	
	4.7 Status indicators visually verify protection level	
	4.8 plug connectors for quick and easy connection or rewiring	
	Technical Data :	
	4.9 Normal Operating Voltage Un: 220/380VAC	
	4.10 Maximum Continous Operating Voltage Uc: 385 VAC	
	4.11 Nominal Discharge Current In (8/20μs): 20KA	
	4.12 Maximum Discharge Current Imax (8/20μs): 40KA	
	4.13 Protection Level Up (8/20 μs,20KA) : <1.7 KV	
	4.14 Response Time Ta: <25ns	
	4.15 Protection Modes: 4:L1/L2/L3N-PE 3+N:L1/L2/L3N-N	
	2 :L/N-PE 1+N :L-N,N-PE	
	4.16 Front Circuit Breaker : 63A	
	4.17 Mounting Type: DIN rail: 35mm	
	4.18 Housing Material : Anti-flaming	
	4.19 Index Protection: IP20	
	4.20 Operating Environment : Temperaure : -40 to +85°C	
	Humidity : <u>&lt;</u> 95%	
	4.21 Warranty : Five-year warranty, three year replacement	
5.	REPEATER TX SURGE PROTECTOR	
	Features :	
	5.1 Gas-tube Structure	

	5.2 Easily replaced Gas Tube Element
	5.3 Multi Strike Capability
	5.4 Bi-Directional Protection
	5.5 Reliable Performance from DC to 3 GHz
	5.6 DC Passed
	Technical Parameter :
	5.7 Working Frequency: 0 – 2.5 GHz
	5.8 Maximum Operating Voltage: 70V
	5.9 Maximum Discharge Current: 20kA
	5.10 Limiting Voltage (8/20μs): 200V
	5.11 Insertion Loss: 0.2 dB
	5.12 VSWR: 1.2
	5.13 IP Code: IP20
	5.14 Working Conditions: Temperature: -40 to 80°C
	Relative Humidity : ≤ 95%
	5.15 Standards Compliance : CE, FCC, RoHS, ISO9001
	5.16 Warranty : at least 1 year
6.	REPEATER RX SURGE PROTECTOR
	Features :
	6.1 Gas-tube Structure
	6.2 Easily replaced Gas Tube Element
	6.3 Multi Strike Capability
	6.4 Bi-Directional Protection
	6.5 Reliable Performance from DC to 3 GHz
	6.6 DC Passed
	Technical Parameter :
	6.7 Working Frequency: 0 – 2.5 GHz

	6.8 Maximum Operating Voltage: 70V	
	6.9 Maximum Discharge Current: 20kA	
	6.10 Limiting Voltage (8/20μs): 200V	
	6.11 Insertion Loss: 0.2 dB	
	6.12 VSWR: 1.2	
	6.13 IP Code: IP20	
	6.14 Working Conditions: Temperature: -40 to 80°C	
	Relative Humidity: ≤95%	
	6.15 Standards Compliance: CE, FCC, RoHS, ISO9001	
	6.16 Warranty : at least 1 year	
7.	NETWORK SWITCH	
	7.1 Standards and Protocols : IEEE 802.3i/802.3u/ 802.3ab/802.3x	
	7.2 Interface: 8 10/100/1000Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX	
	7.3 Fan Quantity : Fanless	
	7.4 Power Consumption : Maximum: 4.63W (220V/50Hz)	
	7.5 External Power Supply : External Power Adapter (Output: 5VDC / 0.6A)	
	7.6 Jumbo frame : 15 KB	
	7.7 Switching Capacity: 16 Gbps	
	7.8 Warranty : at least 1 year	
8.	Antenna Base 1 (for Repeater Antenna)	
	« See attached drawing »	
	8.1 1 ½ " GI pipe, schedule 40	
	8.2 fully weld	
	8.3 with primer and paint (any color)	
	8.4 with steel plate welded at the foot	
	8.5 Warranty : at least 1 year	
L		

9.	2 KVA Uninteruptable Power Supply (UPS)	
	TECHNOLOGY	
	9.1 Double Conversion IGBT with Micro-controller	
	INPUT / OUTPUT	
	9.2 Nominal Input Voltage : 220 Vac	
	9.3 Input Voltage Window : 122 to 200 Vac	
	9.4 Nominal Output Voltage : 220 Vac	
	9.5 Output Voltage on Battery : 220 Vac	
	9.6 Frequency: 50/60 Hz, auto-detection	
	9.7 Data Line Protection : Input/output jacks included for	
	Telephone /Modem/Internet Line surge protection	
	9.8 Output receptacles : 4 ea, IEC style	
	9.9 Input receptacles : IEC C20	
	BATTERY	
	9.10 Battery type : Sealed, Lead-Acid battery (12V)	
	9.11 Charge Capacity: 8 hours to recover 90% capacity	
	9.12 Battery Monitoring : Battery Replacement indicator	
	9.13 Start-On-Battery : Unit can be started without being connected to	
	AC utility power – allows for portable power source	
	INTERFACE	
	9.14 Visual: Operation on mains, battery, inverter, bypass, and load/battery-charging	
	ALARMS AND CONTROLS	
	9.15 Audible and Visual Alarms: Battery Operation Mode, Low Battery,	
	General Fault, Overload, On Bypass  9.16 Control: Two buttons for On/Off, and Alarm Silencer	
	9.16 Control: Two buttons for On/Off, and Alarm Silencer	
	COMMUNICATIONS/MANAGEMENT	
	9.17 Power Management Software : WINPOWER power management	
	software, included on CD	
	9.18 Connection Type : Standard RS232	
	9.19 SNMP Interface : Optional SNMP card	
	ENVIRONMENT	
	9.3 Operating Temperature : 0°C – 40°C	
	9.4 Humidity : < 95%	
	9.5 Noise Level : < 50 dB (others)	
	9.6 Certification : CE, ISO 9001	
	BATTERY RUN TIMES (in minutes)	
	9.7 Battery Runtime ½ load : 31 min	

	9.8 Battery Runtime Full load : 11 min	
10.	RF Coaxial Cable	
	10.1 Conductor: Coax: 1, AWG: 10, Stranding: Solid, Conductor	
	Material : BC – Bare Copper, Diameter : 0 .108 in	
	10.2 Insulation: Insulation Material: Semi – Solid PE – Semi-Solid	
	Polyethylene, Diameter : 0.286 in	
	10.3 Outer Shield : Layer # 1 : Type : Tape, Material : Bonded	
	Aluminum Foil-Polyester Tape –	
	Aluminum Foil, Coverage : 100%	
	Lavar 2 - Type - Praid Material - TC Tinned Conner	
	<b>Layer 2 :</b> Type : Braid, Material : TC – Tinned Copper, Coverage : 90%	
	10.4 Outer Jacket Material : PVC – Polyvinyl Chloride, Diameter : 0.405 in	
	10.4 Outer Jacket Material : PVC – Polyvinyi Chioride, Diameter : 0.403 iii	
	10.5 Overall Nominal Diameter : 0.405 in.	
	10.6 Operating Temperature Range(celsius): -40 to +80	
	10.0 Operating reinperature hange(ceisius): 40 to 100	
	Non-UL Temperature Rating(celsius): 75	
	10.7 Bulk Cable Weight: 107lbs/1000ft.	
	1017 Bulk caste Weight 127/183/12001ti	
	10.8 Maximum Recommended Pulling Tension : 300 lbs	
	10.9 Minimum Bend Radius/Minor Axis : 4 in	
	10.10 Length : 1,000 feet per roll	
	10.11 Standards : EU Directive 2011/65, EU CE Mark, EU Directive	
	2000/53, EU Directive 2002/95, EU Directive 2002/96,	
	EU Directive 20003/11, CA Prop 65	
	10.16 RG Type : 8/U	
	1010 NO 1790 1070	
	10.17 Plenum Number : 89913	
	10.18 Impedance : 50 Ω	
	1	
	10.19 Inductance : .059 μH/ft	
	10.20 Capacitance : 24.6 pF/ft.	
	10.21 Velocity of Propagation : 84%	
	10.22 Nominal Delay : 1.2ns/ft.	
	10.23 Nominal Conductor DC Resistance @ 20°C : 0.9 ohm/1000 ft	
	10.24 Outer Shield DC Resistance @ 20°C : 1.8 Ohm/1000 ft	
	10.25 Nominal Attenuation @ 400.000 MHz : 2.600 dB/100 ft	
	10.26 Maximum Power Rating @ 400.000 MHz : 619.000 Watts	

	10.27 Maximum Operating Voltage – Non – UL : 600V RMS	
	10.28 Warranty : at least 1 year	
11.	IDF Cabinet – 37U 19" Server Cabinets	
	11.1 Color : Black	
	11.2 Weight Capacity: 2094lbs (950kgs)	
	11.3 Internal Dimension : 68" x 31" x 19" (HxDxW)	
	11.4 External Dimension : 71" x 34" x 24" (HxDxW)	
	11.5 Mounting depth (post to post) : 26"	
	11.6 Basic Frame : End Frame + 4 x square cut vertical mounting + depth supporters + mounting support	
	11.7 Front Door : Perforated Door	
	11.8 Rear Door : Split Perforated Door	
	11.9 Side Panels : Plain Side Panels	
	11.10 Caster base (Castor base), Leveling feet and M6 screw pack with 50 x M6 screws + 50 x washers + 50 x cage nuts for mounting are included.	
	11.11 Warranty : at least 1 year	
12.	PE Pipe	
	12.1 Material : Poly Ethylene	
	12.2 Diameter: 2 inches	
	12.3 Length: 60 meters per roll	
	12.4 Color : black	
42	THE District Fig. Box St. Park	
13.	UHF Digital Fix Base Radio	
	GENERAL	
	13.1 Frequency : 403 – 470 MHz or better	
	13.2 Low Power Output : 1 -25 W or better	

numeric display
ıking software
or better
better
tter
- 1T : 60 dB or better
- 2T : 45 dB or better
better
: 7K60F1D & 7K60FXD,
isination of 12.5 kHz
, -3
BD) : -36 dBm < 1 GHz, -
ter (12.5 kHz channel ),
er
tter
eaker), 7.5 W or better
r (external 4 ohm
better
Hz channel) better  : 7K60F1D & 7K60FXD, bination of 12.5 kHz  , -3  BD): -36 dBm < 1 GHz, -  ter (12.5 kHz channel),  er  tter  tter  eaker), 7.5 W or better r (external 4 ohm

13.26 Hum and Noise : -40 dB or better (12.5 kHz channel), -45 dB		
or better (25 kHz channel),		
13.27 Conducted Spurious Emissions (TIA603D) : -57 dBm or better		
ENVIRONMENTAL SPECIFICATIONS		
13.28 Operating Temperature : -30°C to +60°C or better		
13.29 Storage Temperature : -40°C to +85°C or better		
13.30 Electrostatic Discharge : IEC 61000-4-2 Level 4		
13.31 Dust and Water Intrusion : IEC 60529 – IP54		
13.32 Packaging Test: MIL-STD 810C, D, E, F, and G		
13.33 Warranty : at least 2 years		
Antenna 2 ( Antenna for Fix Base Radio units)		
14.8 Rated Wind Velocity : 150 KpH or better		
14.9 imported or locally fabricated		
14.10 Warranty : at least 1 year		
ANTENNA PAGE (FIRE PAGE AREA)		
*see attached picture		
15.1 1 ½ " GI pipe, schedule 40		
15.2 fully weld		
15.3 with primer and paint (any color)		
	or better (25 kHz channel),  13.27 Conducted Spurious Emissions (TIA603D): -57 dBm or better  ENVIRONMENTAL SPECIFICATIONS  13.28 Operating Temperature: -30°C to +60°C or better  13.29 Storage Temperature: -40°C to +85°C or better  13.30 Electrostatic Discharge: IEC 61000-4-2 Level 4  13.31 Dust and Water Intrusion: IEC 60529 – IP54  13.32 Packaging Test: MIL-STD 810C, D, E, F, and G  13.33 Warranty: at least 2 years  Antenna 2 ( Antenna for Fix Base Radio units)  14.1 Eight (8) Loops  14.2 Maximum power: 150W or better  14.3 Weight: 5kg  14.4 Height: 16 ft  14.5 VSWR: 1.2:1 or better  14.6 Gain: 8.5 dB or better  14.7 Pattern: Directional  14.8 Rated Wind Velocity: 150 KpH or better  14.9 imported or locally fabricated  14.10 Warranty: at least 1 year  ANTENNA BASE 2 (FIRE BASE AREA)  *see attached picture  15.1 1% "GI pipe, schedule 40  15.2 fully weld	or better (25 kHz channel),  13.27 Conducted Spurious Emissions (TIA603D): -57 dBm or better  ENVIRONMENTAL SPECIFICATIONS  13.28 Operating Temperature: -40°C to +60°C or better  13.29 Storage Temperature: -40°C to +85°C or better  13.30 Electrostatic Discharge: IEC 61000-4-2 Level 4  13.31 Dust and Water Intrusion: IEC 60529 – IP54  13.32 Packaging Test: MIL-STD 810C, D, E, F, and G  13.33 Warranty: at least 2 years  Antenna 2 (Antenna for Fix Base Radio units)  14.1 Eight (8) Loops  14.2 Maximum power: 150W or better  14.3 Weight: 5kg  14.4 Height: 16 ft  14.5 VSWR: 1.2:1 or better  14.6 Gain: 8.5 dB or better  14.7 Pattern: Directional  14.8 Rated Wind Velocity: 150 KpH or better  14.9 imported or locally fabricated  14.10 Warranty: at least 1 year  ANTENNA BASE 2 (FIRE BASE AREA) *see attached picture  15.11 ½ " Gi pipe, schedule 40  15.2 fully weld

	15.4 with steel plate welded at the foot	
	15.5 Warranty : at least 1 year	
16	ANTENNA BASE 3 (GEN. AV. AREA)	
	*see attached picture	
	16.1 1 ½ " GI pipe, schedule 40	
	16.2 fully weld	
	16.3 with primer and paint (any color)	
	16.4 with steel plate welded at the foot	
	16.5 Warranty : at least 1 year	
17	ANTENNA BASE 4 (INDIVIDUAL)	
	*see attached picture	
	17.1 1 ½ " GI pipe, schedule 40	
	17.2 fully weld	
	17.3 with primer and paint (any color)	
	17.4 with step	
	17.5 with GI wire	
	17.6 and turn buckle	
	17.7 Warranty : at least 1 year	
18.	RF Coaxial Cable (technical specifications on item no. 10)	
19	REGULATED POWER SUPPLY	
	19.1 Inputs : 220V AC 60Hz	
	19.2 Output : 13.8V DC 30AMPS	
	19.3 Battery charger capacity : 6SM Max or equivalent 100AH rating	
	19.4 Short circuit protection	

40.5.0		
19.5 Over voltage protection		
19.6 Automatic switch over to battery		
19.7 Automatic charger		
19.8 Warranty : at least 1 year		
6 KVA Uninteruptable Power Supply (UPS)		
GENERAL		
20.1 User Interface: Graphical LCD with blue backlight and text in English		
20.2 LEDs : Four status-indicating LEDs		
20.3 Topology : True online, double-conversion		
20.4 Diagnostics : Full system self-test		
20.5 UPS Bypass : Automatic bypass		
TECHNICAL SPECIFICATIONS		
Rating : 6000VA/5400W		
Format/Model : Tower		
Electrical Input		
20.6 Nominal Voltage : 120 V, 220 – 240 V		
20.7 Voltage Range : 120 V, 90 – 138 Vac, 203 V: 160 – 276 Vac		
20.8 Power drawn from UPS : 6000: 26 A @230 V		
20.9 Dedicated circuit breaker rating UPS input: 230 V: 6000 VA: 32 A		
20.10 Frequency : 50/60 Hz		
20.11 Frequency Range : 40-70 Hz		
Electrical Output		
20.12 Power Factor : 0.9		
20.13 On Utility Voltage: +3% of nominal regulation		
20.14 On Battery Voltage : +3% of nominal regulation		
20.15 Efficiency : >95% in high-efficiency mode; >86% in online mode		
	19.7 Automatic charger  19.8 Warranty: at least 1 year  6 KVA Uninteruptable Power Supply (UPS)  GENERAL  20.1 User Interface: Graphical LCD with blue backlight and text in English 20.2 LEDs: Four status-indicating LEDs  20.3 Topology: True online, double-conversion  20.4 Diagnostics: Full system self-test 20.5 UPS Bypass: Automatic bypass  TECHNICAL SPECIFICATIONS  Rating: 6000VA/5400W  Format/Model: Tower  Electrical Input 20.6 Nominal Voltage: 120 V, 220 – 240 V  20.7 Voltage Range: 120 V, 90 – 138 Vac, 203 V: 160 – 276 Vac  20.8 Power drawn from UPS: 6000: 26 A @230 V  20.9 Dedicated circuit breaker rating UPS input: 230 V: 6000 VA: 32 A  20.10 Frequency: 50/60 Hz  20.11 Frequency Range: 40-70 Hz  Electrical Output 20.12 Power Factor: 0.9  20.13 On Utility Voltage: +3% of nominal regulation 20.14 On Battery Voltage: +3% of nominal regulation 20.15 Efficiency: >95% in high-efficiency mode;	19.7 Automatic charger  19.8 Warranty: at least 1 year  6 KVA Uninteruptable Power Supply (UPS)  GENERAL  20.1 User Interface: Graphical LCD with blue backlight and text in English  20.2 LEDs: Four status-indicating LEDs  20.3 Topology: True online, double-conversion  20.4 Diagnostics: Full system self-test  20.5 UPS Bypass: Automatic bypass  TECHNICAL SPECIFICATIONS  Rating: 6000VA/5400W  Format/Model: Tower  Electrical Input  20.6 Nominal Voltage: 120 V, 220 – 240 V  20.7 Voltage Range: 120 V, 90 – 138 Vac, 203 V: 160 – 276 Vac  20.8 Power drawn from UPS: 6000: 26 A @230 V  20.9 Dedicated circuit breaker rating UPS input: 230 V: 6000 VA: 32 A  20.10 Frequency: 50/60 Hz  20.11 Frequency Range: 40-70 Hz  Electrical Output  20.12 Power Factor: 0.9  20.13 On Utility Voltage: +3% of nominal regulation  20.14 On Battery Voltage: +3% of nominal regulation  20.15 Efficiency: >95% in high-efficiency mode;

20.16	Frequency Regulation : +3% Hz online	
20.17	Load Crest Factor : 3 to 1	
Batte	ry	
20.18	Battery Type: VRLA/SLA, 12V, 9 AH	
20.19	Battery Runtime : 75% Load = 16 min, 50% Load = 27 min	
20.20	Battery Replacement : Hot-swappable internal and external Batteries	
20.21	Start-On-Battery : Allows start of UPS without utility input	
Comr	nunications	
20.22	Serial Port : RS-232 standard, for interface to power Management software	
20.23	Relay Output : Common alarm standard	
20.24	Communication Slot : Optional communication slots (BD Slot)	
20.25	Optional Communication Cards: SNWP/Web card for direct control and Monitoring in SNMP-based networks, Monitoring of UPS status and meters through Web browser interface. Relay Card for integration to industrial environment and building management systems, remote shutdown of IBM AS/400 systems	
Enviro	onmental	
20.26	Safety Markings: 120 V: UL, CUL, VCCI, 230 V: CE, GS	
20.27	EMC Markings: 120 V: FCC Class B, EN55022 Class B (1.5 kVA and below); FCC Class A, EN55022 Class A (2.0 kVA and above) 230 V: CE (per IEC/EN62040-2: Emissions, Category C1; Immunity, Category C2)	
20.28	Audible Noise : <50 dB	
20.29	Ambient Operating Temperature : 0°C (32°F) to +40°C (104°F)	
20.30	Storage temperature : $-20^{\circ}$ C ( $-4^{\circ}$ F) to $+40^{\circ}$ C ( $104^{\circ}$ F) with Batteries and $-25^{\circ}$ C ( $-13^{\circ}$ F) to $+55^{\circ}$ C ( $131^{\circ}$ F) without batteries	
20.31	Relative Humidity: -90% non-condensing	
Heat	Dissipation	
20.32	For all voltages: 240 V and 120 V 6000 VA: 630 Watts	
Mode	el Guide	
20.33	230V, 50/60 Hz	

	20.34 Rating: 6000 VA/5400 Watts	
	20.35 Input Connection : Hardwire	
	20.36 Output Receptacles : Hardwire Hardwire	
	20.37 Warranty : at least 1 year	
21.	EXTERNAL BATTERY MODULE FOR 6 KVA UPS	
	21.1 Battery Type : VRLA/SLA, 12V, 9 AH	
	21.2 Battery Runtime : 75% Load = 50 min, 50% Load = 80 min	
	21.3 Battery Replacement : Hot-swappable Batteries	
	21.4 Format/Model : Tower	
	21.5 Compatible with Item No. 20	
	21.6 Warranty : at least 1 year	
22.	UHF PORTABLE ANTENNA	
	22.1 Frequency : UHF	
	22.2 Gain : 3 dB/5.2 dBi or better	
	22.3 Type : UHF Omni	
	22.4 VSWR : 1.5 :1 or better	
	22.5 Power Rating : 150 watts or better	
	22.6 Mounting : magnet or better	
	22.7 Warranty : at least 1 year	
23.	1.5 KVA Uninteruptable Power Supply (UPS)	
	TECHNICAL SPECIFICATIONS	
	23.1 Rating : 1500VA/900W	
	23.2 Format : Tower	
	23.3 Technology : Line-Interactive	
	23.4 Input Voltage Range w/out using batteries : 170V – 280V	
		<u> </u>

		1	
	23.5 Output Voltage : 230V		
	23.6 Data Line Surge Protection (Internel/Tel/Fax) : Yes		
	23.7 Connections : Input: 1 IEC C14(10A)		
	Outputs: 6 IEC C13(10A)		
	23.8 Typical Backup Time : 1 PC : 50 mins		
	23.9 Battery Management : Permanent Battery recharge, cold start		
	23.10 Communication Port : 1 USB Port		
	23.11 Operating Temperature : 0 to 40°		
	23.12 Noise Level : <45dB		
	23.13 Safety: IEC/EN 62040-1		
	23.14 EMC, Performance : IEC/EN 62040-2		
	23.15 Approvals : CE, CB report (TUV)		
	23.16 Warranty : 2 years		
24	UHF Digital Mobile Base Radio		
	GENERAL		
	24.1 Frequency : 403 – 470 MHz or better		
	24.2 Low Power Output : 1 – 25 W or better		
	24.3 High Power Output : 25 – 40 W or better		
	24.4 Channel Spacing : 12.5, 25 kHz		
1			
	24.5 Channel Capacity : 1000 or better		
	24.5 Channel Capacity : 1000 or better 24.6 Power Supply (Nominal) : 12 V DC or 24 V DC		
	24.6 Power Supply (Nominal) : 12 V DC or 24 V DC		
	24.6 Power Supply (Nominal) : 12 V DC or 24 V DC  24.7 Display : full 4 line color screen with numeric display		
	24.6 Power Supply (Nominal) : 12 V DC or 24 V DC  24.7 Display : full 4 line color screen with numeric display  24.8 Display Mode : day and night		
	24.6 Power Supply (Nominal): 12 V DC or 24 V DC  24.7 Display: full 4 line color screen with numeric display  24.8 Display Mode: day and night  24.9 Emergency Button: yes		
	24.6 Power Supply (Nominal): 12 V DC or 24 V DC  24.7 Display: full 4 line color screen with numeric display  24.8 Display Mode: day and night  24.9 Emergency Button: yes		

	24.33 Time to First Fix, Cold Start : <60 s or better	
	24.34 Time to First Fix, Hot Start : <10 s or better	
	24.35 Horizontal Accuracy : 5 m or better	
	WIFI SPECIFICATIONS	
	24.36 Standards Supported : IEEE 802.112b, 802.11g, 802.11n	
	24.37 Security Protocol Supported : WPA, WPA2, WEP	
	24.38 Minimum Number of SSIDs : 128 or better	
	ENVIRONMENTAL SPECIFICATIONS	
	24.39 Operating Temperature : -30°C to +60°C or better	
	24.40 Storage Temperature : -40°C to +85°C or better	
	24.41 Electrostatic Discharge : IEC 61000-4-2 Level 4	
	24.42 Dust and Water Intrusion : IEC 60529 – IP54	
	24.43 Packaging Test: MIL-STD 810C, D, E, F, and G	
	24.44 Warranty : at least 2 years	
25.	MOBILE ANTENNA WITH GPS	
	25.1 Frequency : UHF	
	25.2 Gain : 3 dB/5.2 dBi or better	
	25.3 Type : UHF Omni	
	25.4 VSWR : 1.5 :1 or better	
	25.5 Power Rating : 150 watts or better	
	25.6 compatible with Item no. 24	
	25.7 can receive and transmit data and voice at 10 kilometers away	
	25.8 location can be detected by dispatch system at 10 kilometers away	
	25.9 magnet mount or better	
	25.10 Warranty : at least 2 years	
	J	

26.	UHF Portable Radio Unit 1 with GPS	
	GENERAL	
	26.1 Frequency : 403 – 527 MHz or better	
	26.2 Low Power Output : 1 W or better	
	26.3 High Power Output : 4 W or better	
	26.4 Channel Spacing: 12.5, 25 kHz	
	26.5 Channel Capacity : 1000 or better	
	26.6 Power Supply (Nominal) : 7.5 V or 7.4 V or better	
	26.7 Battery : smart/intelligent battery, Li-ion, 2100 mAH or better, IP 57 or better	
	26.7 Display : 5 line color screen with alpha numeric display	
	26.8 Display mode : day and night	
	26.9 Keypad : full keypad	
	26.10 Emergency Button : yes	
	26.11 With Over the Air Battery Management	
	26.12 With built in/programmed multi site trunking software	
	RECEIVER	
	26.13 Analogue Sensitivity (12dB SINAD) : 0.3 uV or better	
	26.14 Digital Sensitivity (5% BER) : 0.25 uV or better	
	26.15 Intermodulation (TIA603D) : 70 dB or better	
	26.16 Adjacent Channel Selectivity, (TIA603A)-1T: 60 dB or better (12.5 kHz channel), 70 dB or better (25 kHz channel)	
	26.17 Adjacent Channel Selectivity, (TIA603A)-2T: 45 dB or better (12.5 kHz channel), 70 dB or better (25 kHz channel)	
	26.18 Spurious Rejection (TIA603D) : 70 dB or better	
	TRANSMITTER	
	26.19 4FSK Digital Modulation: 12.5 kHz Data: 7K60F1D & 7K60FXD, 12.5 kHz Data: 7K60F1E & 7K60FXE, Combination of 12.5 kHz	
	Voice and Data 7K60F1W  26.20 Digital Protocol: ETSI TS 102 361 – 1, -2, -3	
	26.21 Conducted/ Radiated Emissions (TIA603D) : -36 dBm < 1 GHz, -	

	30 dBm> 1GHz		
	26.22 Adjacent Channel Power : 60 dB or better (12.5 kHz channel ),		
	70 dB or better (25 kHz channel)		
	26.23 Frequency Stability : ± 0.5 ppm or better		
	AUDIO SPECIFICATIONS		
	26.24 Digital Vocoder Type : AMBE +2 <sup>™</sup> or better		
	26.25 Audio Response : TIA603D or better		
	26.26 Rated Audio : 0.5 W or better		
	26.27 Audio Distortion at Rated Audio : 3% or better		
	26.28 Hum and Noise: -40 dB or better (12.5 kHz channel), -45 dB or better (25 kHz channel),		
	26.30 Conducted Spurious Emissions (TIA603D) : -57 dBm or better		
	26.31 Warranty : at least 2 years		
27	Spare Battery 1		
	27.1 Material : Lithium-lon		
	27.2 Capacity: 2100mAH or better		
	27.3 Smart/Intelligent battery		
	27.4 Compatible with Item no. 26		
	27.5 Safety : IP 57 or better		
	27.6 Standard : MIL-STD 810 C,D,E		
	27.7 Warranty : at least 2 years		
28.	UHF Digital Portable Radio Units 2 with GPS		
	GENERAL		
	28.1 Frequency: 403 – 527 MHz or better		
	28.2 Low Power Output : 1 W or better		
	28.3 High Power Output : 4 W or better		
	28.4 Channel Spacing: 12.5, 25 kHz		
	-	•	<u> </u>

28.5 (	Channel Capacity: 1000 or better	
28.6 [	Power Supply (Nominal): 7.5 V or 7.4 V or better	
28.7 8	Battery: smart/intelligent battery, Li-ion, 2900 mAH or better, Inrinsically Safe (IS), IP68	
28.9 🗅	oisplay: 5 line color screen with alpha numeric display	
28.10	Display mode : day and night	
28.11	Keypad : full keypad	
28.12	Emergency Button : yes	
28.13	With Over the Air Battery Management	
28.14	With built in/programmed multi site trunking software	
RECEI	VER	
28.15	Analogue Sensitivity (12dB SINAD) : 0.18 uV or better	
28.16	Digital Sensitivity (5% BER): 0.16 uV or better	
28.17	Intermodulation (TIA603D) : 70 dB or better	
28.18	Adjacent Channel Selectivity, (TIA603A)-1T: 60 dB or better (12.5 kHz channel), 70 dB or better (25 kHz channel)	
28.19	Adjacent Channel Selectivity, (TIA603A)-2T: 45 dB or better (12.5 kHz channel), 70 dB or better (25 kHz channel)	
28.20	Spurious Rejection (TIA603D) : 70 dB or better	
TRAN	SMITTER	
28.21	4FSK Digital Modulation: 12.5 kHz Data: 7K60F1D & 7K60FXD, 12.5 kHz Data: 7K60F1E & 7K60FXE, Combination of 12.5 kHz Voice and Data 7K60F1W	
28.22	Digital Protocol: ETSI TS 102 361 – 1, -2, -3 or better	
28.23	Conducted/ Radiated Emissions (TIA603D) : -36 dBm < 1 GHz, -30 dBm> 1GHz or better	
28.24	Adjacent Channel Power : 60 dB or better (12.5 kHz channel ), 70 dB or better (25 kHz channel) or better	
28.25	Frequency Stability : <u>+</u> 0.5 ppm	
AUDIO	O SPECIFICATIONS	
L		

	28.26 Digital Vocoder Type : AMBE +2™ or better	
	28.27 Audio Response : TIA603D or better	
	28.28 Rated Audio : 0.5 W or better	
	28.29 Audio Distortion at Rated Audio : 3% or better	
	28.30 Hum and Noise : -40 dB or better (12.5 kHz channel), -45 dB or better (25 kHz channel),	
	28.31 Conducted Spurious Emissions (TIA603D) : -57 dBm or better	
	28.30 Warranty : at least 2 years	
29	Spare Battery 2	
	29.1 Material : Lithium-Ion	
	29.2 Capacity : 2900mAH or better	
	29.3 Smart/Intelligent battery	
	29.4 Safety : Intrinsically Safe (IS), IP 68	
	29.5 Standard : UL, MIL-STD 810 C,D,E,F	
	29.6 Warranty : at least 2 years	
30	MULTI UNIT PORTABLE RADIO CHARGER 1 (for radio unit with 2100 mAH	
	battery)	
	30.1 Display : Yes	
	30.2 Display details : 1 display	
	30.3 Reconditioning capable : Yes	
	30.4 Charge rate : Rapid rate	
	30.5 Number of Pockets : 6	
	30.6 Chemistry : Li – Ion, NiCd, NiMH	
	30.8 Smart/Intelligent Charger	
	30.9 Can charge radio unit with battery or battery only	
	30.10 Warranty : at least 2 years	

31	MULTI UNIT PORTABLE RADIO CHARGER 2 (for radio unit with 2900	
	mAH battery)	
	31.1 Display : Yes	
	31.2 Display details : 1 display	
	31.3 Reconditioning capable : Yes	
	31.4 Charge rate : Rapid rate	
	31.5 Number of Pockets : 6	
	31.6 Chemistry : Li – Ion, NiCd, NiMH	
	31.8 Smart/Intelligent Charger	
	31.9 Can charge radio unit with battery or battery only	
	31.10 Warranty : at least 2 years	
32.	REMOTE SPEAKER MICROPHONE	
	32.1 designed for windy outdoor environments	
	32.2 reduces the noise caused by howling winds and harsh weather	
	32.3 IP 57 or better	
	32.4 compatible with Item nos. 26 and 28	
	32.5 Warranty : at least 2 years	
33.	UHF Digital Portable Radio without GPS	
	GENERAL	
	33.1 Frequency Range : 403 – 527 MHz or better	
	33.2 Channel Capacity : 256 or better	
	33.3 Channel Spacing: 25 / 12.5	
	33.4 Operating Voltage : 7.5 V	
	33.5 Battery : smart/intelligent battery, Li-ion 2100 mAh or better	
	33.6 Display : limited display	
	33.7 Keypad : limited keypad	

33.8	With Over the Air Battery Management	
33.9	With built in/programmed multi site trunking software	
TRANSMI	ITER	
33.10	RF Power Output High/Low : 4W/1W or better	
33.11	FM Hum and Noise : -45 dB or better @ 25 KHz, -40 dB or better @ 12.5 KHz	
33.12	Conducted/Radiated Emission : TIA603D: -36 dBm < 1 GHz, -30 dBm > 1 GHz or better	
33.13	Adjacent Channel Power : 70 dB or better @ 25 KHz, 60 dB or better @ 12.5 KHz	
33.14	4FSK Digital Modulation: 12.5 KHz Data: 7K601F1D & 7K60FXD, 12.5 KHz Voice: 7K601F1E & 7K60FXE	
33.15	Audio Response : TIA603D or better	
33.16	Audio Distortion : 3% or better	
33.17	Digital Vocoder Type : AMBE+2 or better	
33.18	Digital Protocol: ETSI TS 102 361-1, -2, -3 or better	
33.19	Frequency Stability : +0.5 ppm	
RECE	VER	
33.20	Analog Sensitivity (12 dB SINAD) : 0.18 μV or better	
33.21	Digital Sensitivity: 0.16 μV / BER 5% or better	
33.22	Adjacent Channel Sensitivity: (TIA-603A)-1T: 70 dB or better @ 25 KHz 60 dB or better @ 12.5 KHz, (TIA-603D)-2T: 70 dB or better @ 25 KHz 45 dB or better @ 12.5 KHz	
33.23	Spurious Response Rejection : TIA 603D: 70 dB or better	
33.24	Intermodulation : TIA 603D: 70 dB or better	
33.25	Hum and Noise : 45 dB or better @ 25 KHz, 40 dB or better @ 12.5 KHz	
33.26	Rated Audio Power Output : 0.5 Watts or better	
33.27	Rated Audio Distortion : 3% or better	
33.28	Audio Response : TIA603D or better	

	22.20 6 1 1 16 1 5 1 1 5 1 1 1 1 1 1 1 1 1 1	
	33.29 Conducted Spurious Emission : 57 dBm or better	
	33.30 Frequency Stability: +0.5 ppm or better	
	ENVIRONMENTAL SPECIFICATIONS	
	33.31 Operating Temperature : -30°C to +60°C	
	33.32 Storage Temperature : -40°C to +85°C	
	33.33 ESD : IEC 61000-4-2 (Level 4)	
	33.34 American Military Standard : MIL-STD-810 C/D/E/F/G	
	33.35 Dust and Water Intrusion : IEC 60529 – IP67	
	33.36 Warranty : at least 2 years	
34.	Spare battery 3 (Digital Portable Radio Unit)	
	34.1 Material : Lithium-Ion	
	34.2 Capacity: 2100mAH or better	
	34.3 Smart/Intelligent battery	
	35.4 Compatible with Item no. 33	
	35.5 Safety: IP 57 or better	
	35.6 Standard : MIL-STD 810 C,D,E or better	
	35.7 Warranty : at least 2 years	
35.	PC RADIO SERVER/DISPATCH CONSOLE AND ACCESSORIES	
	35.1 Processor: Quad core threads or higher 2.8-3.06 Ghz, 4 MB, DDR3	
	35.2 Mainboard : - Integrated (A, V, L) , H57 chipset -Supports 1066-1333 Mhz chipset -PCI-Ex ports, USB 2.0 ports	
	35.3 Memory : 8GB PC3 10600 (DDR3 1333) un-buffered Memory or better)	
	35.4 Video Card : 1GB Video Card	
	35.5 Hard Disk : 1TB 7200 RPM SATA HDD	
	35.6 Casing: Black casing with 200-500 watts power supply, 2x front	

	USB 2.0 , headphone and speaker ports. Media card reader.		
	35.7 Keyboard/Mouse : USB 2.0 keyboard and USB 2.0 optical mouse and mouse pad.		
	35.8 UPS: Uninterruptible power supply 650 watts, 220v input, with RP standard power cord		
	35.9 Operating System : Preinstalled Version Windows 10 64bit with license sticker and media kit		
	35.10 Software : Customer Programming Software		
	35.11 Accessories: Installation drivers CDs. Power cables (RP standard) and mouse pad.		
	35.12 Warranty : 1/1/1 years (parts/labor/onsite)		
36.	LED Monitor		
	36.1 Screen Size (inches): 21.5 or better		
	36.2 Aspect Raatio : 16 :9 or better		
	36.3 Brightness (cd/m2): 200 or better		
	36.4 Resolution : 1920 x 1080 or better		
	36.5 Panel Type : TN or better		
	36.6 Contrast Ratio : 5000000 :1 or better		
	36.7 Response Time (ms) : 5 or better		
	36.8 Viewing Angle (°): 90/65 (CR>10) or better		
	36.9 Color Gamut : 72% or better		
	36.10 Colour Depth (16.7M)		
	36.11 Pixel Pitch : 0.248 x 0.248		
	36.12 Surface Treatment : Hard coating (3H), Anti Glare treatment (AG)		
	36.13 D-Sub : yes		
	36.14 Picture Mode : Yes		
	36.15 DDC/CI : Yes		
	36.16 Intelligent Auto : Yes		
	36.17 Plug & Play : Yes		
		<u> </u>	<u> </u>

		T	
	36.18 Key Lock : Yes		
	36.19 Reader Mode : Yes		
	36.20 Flicker Safe		
	36.21 Dual Smart Solution (Dual web, Dual displya, Smart Resolution) : Yes		
	36.22 Front Color : Black Hairline		
	36.23 B/Cover Colour : Black Texture		
	36.24 Stand Colour : Black		
	36.25 Base : Black		
	36.26 Stand		
	Base Detachable : Yes		
	Tilt (angle): Yes: -3° (front) ~20° (rear)		
	36.27 Standard Certification : UL (cUL), TUV-Type, FCC-B. CE, EPA		
	36.28 Power : Adaptor/ 100~240V		
	36.29 Accessory : Power cord, D-Sub		
	36.30 Warranty : at least 1 year		
37.	Sound Card		
	37.1 10x10 24-bit/96kHz full-duplex recording interface		
	37.2 PCI host card with two external, color-coded breakout cables		
	37.3 8x8 analog I/O, balanced on female XLR and unbalanced on gold- plated RCA connectors, with output line level adjustments selectable within the Delta Control Panel		
	37.4 The two balance analog inputs can be set via hardware jumper to accept microphone level signals or line level signals.		
	37.5 S/PDIF Digital I/O supports a variety of settings, including AC3 or DTS surround (PC only) and copy protection schemes, which can be set via the Delta Control Panel		
	37.6 External synchronization up to 100kHz via word clock I/O on BNC connectors		
	37.7 1x1 MIDI I/O on standard DIN jacks		
	37.8 High dynamic range (A-weighted measured) : D/A 101.5 dB, A/D		
<u> </u>		<u> </u>	

		1	
	99.6 dB		
	37.9 Low distortion (measure THD @ 0dBFS) : A/D and D/A less than 0.002%.		
	37.10 Frequency Response: 22-22kHz, -0.2, -0.4dB @48kHz; 22-40kHz, -0.2, -0.7dB @96kHz		
	37.11 All data paths support up to 24bit/96kHz performance, no upgrades necessary		
	37.12 Comprehensive digital mixing, routing, and monitoring capabilities with included Delta Control Panel software		
	37.13 Hardware sample-accurate sync will allow linking of miltiple Delta units via S/PDIF		
	37.14 Windows OS multi-card, multi-client drivers with ASIO1 and ASIO2 multi-card, GSIF and EASI drivers included Windows NT Multi-card drivers also included		
	37.15 Warranty : at least 1 year		
40.	DISPATCH SYSTEM SOFTWARE		
	40.1 Compliant to ETSI DMR standard		
	40.2 Voice Dispatching		
	-individual call, group call, all call 40.3 Voice Recording		
	- incoming and outgoing call recording		
	40.4 GPS Tracking Management 40.5 Text Messaging (send/receive text messages)		
	individual, group, text all		
	40.6 Geofencing alarm		
	40.7 Statistic Reporting		
	- Radio Status, Calls, Location Tracking Report		
	40.8 Event Logging		
	40.9 Emergency Call		
	40.10 Capable of PSTN/Telephone Interconnection		
	40.11 Capable of Email Gateway Interconnection		
	40.12 Radio Server License: 1 or better		
	40.13 Dispatcher License: 1 or better		
	40.14 Control Stations: 2 or better		

	43.11 Microphone Impedance : $600 \Omega$	
	RECEIVER	
	43.12 Intermediate Frequency : 38.85 KHz/450 KHz	
	43.13 Receiver Sensitivity : 1μV (at 6 dB S/N) or better	
	43.14 Spurious Response : more than 74 dBμ	
	43.15 Audio Output Power : 10% distortion, 60% modulation	
	Internal SP (8 Ω load) : 1.5 Watts typ	
	Exterrnal SP (8 $\Omega$ load) : more than 10 Watts	
	Headphone (500 $\Omega$ load) : more than 100 mWatts	
	43.16 Supplied Accessories : Hand Microphone, DC Power Cable, Mounting Bracket Kit, Microphone Hanger Kit, Fuses	
	43.17 License : with NTC license for each radio unit	
	43.18 Warranty: at least 1 year	
44.	ANTENNA 3 (AIRBAND FIX BASE RADIO)	
	44.1 Frequency Range : 118 MHz – 136.992 MHz	
	44.2 Four (4) Loops	
	44.3 Maximum power : 150W or better	
	44.4 Weight : 5kg or less	
	44.5 Height : 16 ft or less	
	44.6 VSWR : 1.2 :1 or better	
	44.7 Gain : 8.5 dB or better	
	44.8 Pattern : Directional	
	44.9 Rated Wind Velocity : 150 KpH or better	
	44.10 imported or locally fabricated	
	44.11 Warranty: at least 1 year	
47.	AIRBAND PORTABLE ANTENNA	

	47.1 Frequency : 118 – 136.992 MHz	
	47.2 51.5 inches whip antenna or better	
	47.3 Gain: 3 dBd/5.2 dBi or better	
	47.4 Magnet mount with cable and connector or better	
	47.5 VSWR : 1.5 :1 or better	
	47.6 Power Rating : 150 watts or better	
	47.8 Warranty : at least 1 year	
48.	VHF ANALOG AIRBAND MOBILE RADIO UNITS	
	GENERAL	
	48.1 Frequency Range : 118 MHz – 136.992 MHz	
	48.2 Memory Channel : 200 channels	
	48.3 Channel Spacing: 25 KHz / 8.33 KHz	
	48.4 Frequency stability : ± 5 ppm	
	48.5 Power Supply Requirement : for Mobile base and Fix base	
	48.6 Antenna Connector : compatible with supplied antenna	
	48.7 Standard : MIL 810G, IP 54 or better	
	TRANSMITTER	
	48.8 Output Power : 36 Watts, 9 Watts typ carrier power	
	48.9 Modulation : 70% to 100%	
	48.10 Spurious Emission : less than 60 dB or better	
	48.11 Microphone Impedance : $600 \Omega$	
	RECEIVER	
	48.12 Intermediate Frequency : 38.85 KHz/450 KHz	
	48.13 Receiver Sensitivity : 1μV (at 6 dB S/N) or better	
	48.14 Spurious Response : more than 74 dBμ	
	48.15 Audio Output Power : 10% distortion, 60% modulation	
	Internal SP (8 Ω load) : 1.5 Watts typ	

	Exterrnal SP (8 $\Omega$ load) : more than 10 Watts	
	Headphone (500 $\Omega$ load) : more than 100 mWatts	
	48.16 Supplied Accessories : Hand Microphone, DC Power Cable, Mounting Bracket Kit, Microphone Hanger Kit, Fuses	
	48.17 License : with NTC license for each radio unit	
	48.18 Warranty : at least 1 year	
49.	MOBILE ANTENNA (for Airband Mobile Base)	
	49.1 Frequency : 118 – 136.992 MHz	
	49.2 51.5 inches whip antenna or better	
	49.3 Gain: 3 dBd/5.2 dBi or better	
	49.4 Magnet mount with cable and connector or better	
	49.5 VSWR : 1.5 :1 or better	
	49.6 Power Rating : 150 watts or better	
	49.7 Warranty : at least 1 year	
50.	VHF Analog Base Radio	
	GENERAL	
	50.1 Frequency Range : 136 MHz – 162 MHz or better	
	50.2 Low Power Output : 1 – 25 W or better	
	50.3 High Power Output : 25 – 40 W or better	
	50.4 Channel Spacing: 12.5, 20, 25 kHz	
	50.5 Channel Capacity : 8 or better	
	50.6 Power Supply : 13.8 V (11 V DC – 16.6 V DC) or better	
	50.7 Frequency Stability : +/- 2.5ppm or better	
	50.8 Operating Temperature : -30°C to +60°C or better	
	50.9 Sealing: MIL STD 810 C/D/E/F and IP54	
	50.10 Shock and Vibration : MIL STD 810-C/D/E/F and TIA/EIA 603	
	50.11 Dust and Humidity : MIL STD 810-C/D/E/F and TIA/EIA 603	

	50.12 Standard : ISO 9001	
	TRANSMITTER	
	50.13 Modulating Limiting: ±2.5 @ 12.5 kHz or better, ±4.0 @ 20 kHz or better, ±5.0 @ 25 kHz or better	
	50.14 FM Hum & Noise : -40 dB or better (12.5 KHz), -45 dB or better (25 KHz)	
	50.15 Conducted/Radiated Power :	
	1 – 25 W : -36 dBm <1 GHz or better -30 dBm >1 GHz or better	
	25 – 45 W : -26 dBm or better	
	50.16 Adjacent Channel Power : -60 dB or better @ 12.5 kHz, -70 or better dB @ 20/25 kHz	
	50.17 Audio Response (300 – 3000Hz) : +1, -3 dB or better	
	50.18 Audio Distortion : 3% or better	
	RECEIVER	
	50.19 Sensitivity (12 dB SINAD) : .35uV or better (12.5 KHZ), .3uV or better (25 KHZ)	
	50.20 Intermodulation EIA: 65 dB or better (12.5 KHZ), 75 dB or better (25 KHZ)	
	50.21 Adjacent Channel Sensitivity : 65 dB or better @ 12.5 kHz, 75 dB or better @ 25 kHz	
	50.22 Spurious Rejection : 75 dB	
	50.23 Rated Audio : 4 W internal or better, 13 W external or better	
	50.24 Audio Distortion: @ Rated Audio : 3% or better	
	50.25 Hum & Noise : -40 dB or better @ 12.5 kHz, -45 dB or better @ .5 kHz	
	50.26 Audio Response (300 – 3000Hz) : +1, -3 dB or better	
	50.27 Conducted Spurious Emission : -57 dBm <1 GHz or better,-47 dBm <1 GHz or better	
	50.28 Warranty : at least 1 year	
	ANTENNA (for VIIII Angles 5': Deep De lie)	
51.	ANTENNA (for VHF Analog Fix Base Radio)	
	51.1 Frequency Range : 138.025 MHz	

51.2 Four (4) Loops or better		
51.3 Maximum power : 150W or better		
51.4 Weight : 5kg or less		
51.5 Height : 16 ft or less		
51.6 VSWR : 1.2 :1 or better		
51.7 Gain: 8.5 dB or better		
51.8 Pattern : Directional		
51.9 Rated Wind Velocity : 150 KpH or better		
51.10 imported or locally fabricated		
51.11 Warranty : at least 1 year		
STITE Wallanty Facilitation 1 year		
WIT ANALOG MODILE DAGE DADIO HANTS		
VHF ANALOG MOBILE BASE RADIO UNITS		
GENERAL		
52.1 Frequency Range : 136 MHz – 162 MHz or better		
52.2 Low Power Output : 1 – 25 W or better		
52.3 High Power Output : 25 – 40 W or better		
52.4 Channel Spacing: 12.5, 20, 25 kHz		
52.5 Channel Capacity : 8 or better		
52.6 Power Supply : 13.8 V (11 V DC – 16.6 V DC) or better		
52.7 Frequency Stability : +/- 2.5ppm or better		
52.8 Operating Temperature : -30°C to +60°C or better		
52.11 Dust and Humidity: MIL STD 810-C/D/E/F and TIA/EIA 603		
52.12 Standard : ISO 9001		
TRANSMITTER		
52.13 Modulating Limiting: ±2.5 @ 12.5 kHz or better, ±4.0 @ 20 kHz or better, ±5.0 @ 25 kHz or better		
52.14 FM Hum & Noise : -40 dB or better (12.5 KHz), -45 dB or better (25 KHz)		
	51.3 Maximum power: 150W or better  51.4 Weight: 5kg or less  51.5 Height: 16 ft or less  51.6 VSWR: 1.2:1 or better  51.7 Gain: 8.5 dB or better  51.8 Pattern: Directional  51.9 Rated Wind Velocity: 150 KpH or better  51.10 imported or locally fabricated  51.11 Warranty: at least 1 year  VHF ANALOG MOBILE BASE RADIO UNITS  GENERAL  52.1 Frequency Range: 136 MHz – 162 MHz or better  52.2 Low Power Output: 1 – 25 W or better  52.3 High Power Output: 25 – 40 W or better  52.4 Channel Spacing: 12.5, 20, 25 kHz  52.5 Channel Capacity: 8 or better  52.6 Power Supply: 13.8 V (11 V DC – 16.6 V DC) or better  52.7 Frequency Stability: +/- 2.5ppm or better  52.8 Operating Temperature: -30°C to +60°C or better  52.9 Sealing: MIL STD 810 C/D/E/F and IP54  52.10 Shock and Vibration: MIL STD 810-C/D/E/F and TIA/EIA 603  52.11 Dust and Humidity: MIL STD 810-C/D/E/F and TIA/EIA 603  52.12 Standard: ISO 9001  TRANSMITTER  52.13 Modulating Limiting: ±2.5 @ 12.5 kHz or better, ±4.0 @ 20 kHz or better, ±5.0 @ 25 kHz or better	51.3 Maximum power: 150W or better 51.4 Weight: 5kg or less 51.6 VSWR: 1.2:1 or better 51.6 VSWR: 1.2:1 or better 51.7 Gain: 8.5 dB or better 51.9 Rated Wind Velocity: 150 KpH or better 51.10 imported or locally fabricated 51.11 Warranty: at least 1 year  VHF ANALOG MOBILE BASE RADIO UNITS  GENERAL 52.1 Frequency Range: 136 MHz – 162 MHz or better 52.2 Low Power Output: 1 – 25 W or better 52.3 High Power Output: 25 – 40 W or better 52.4 Channel Spacing: 12.5, 20, 25 kHz 52.5 Channel Capacity: 8 or better 52.6 Power Supply: 13.8 V (11 V DC – 16.6 V DC) or better 52.7 Frequency Stability: +/- 2.5ppm or better 52.8 Operating Temperature: -30°C to +60°C or better 52.9 Sealing: MIL STD 810 C/D/E/F and IP54 52.10 Shock and Vibration: MIL STD 810-C/D/E/F and TIA/EIA 603 52.12 Standard: ISO 9001 TRANSMITTER 52.13 Modulating Limiting: ±2.5 @ 12.5 kHz or better, ±4.0 @ 20 kHz or better, ±5.0 @ 25 kHz or better

	E2.15 Canducted/Padiated Dawer:		
	52.15 Conducted/Radiated Power: 1 – 25 W : -36 dBm <1 GHz or better -30 dBm >1 GHz or		
	better -30 dBin <1 GHz of better -30 dBin >1 GHz of		
	25 – 45 W : -26 dBm or better		
	52.16 Adjacent Channel Power : -60 dB or better @ 12.5 kHz,		
	- 70 or better dB @ 20/25 kHz		
	52.17 Audio Response (300 – 3000Hz) : +1, -3 dB or better		
	52.18 Audio Distortion : 3% or better		
	DECEMEN		
	RECEIVER		
	52.19 Sensitivity (12 dB SINAD) : .35uV or better (12.5 KHZ), .3uV or better (25 KHZ)		
	52.20 Intermodulation EIA : 65 dB or better (12.5 KHZ ), 75 dB or better (25 KHZ)		
	52.21 Adjacent Channel Sensitivity : 65 dB or better @ 12.5 kHz, 75 dB or better @ 25 kHz		
	52.22 Spurious Rejection : 75 dB		
	52.23 Rated Audio : 4 W internal or better, 13 W external or better		
	52.24 Audio Distortion: @ Rated Audio : 3% or better		
	52.25 Hum & Noise : -40 dB or better @ 12.5 kHz, -45 dB or better @ 25 kHz		
	52.26 Audio Response (300 – 3000Hz) : +1, -3 dB or better		
	52.27 Conducted Spurious Emission : -57 dBm <1 GHz or better,-47		
	dBm <1 GHz or better		
	52.28 Warranty : at least 1 year		
54.	VHF MOBILE ANTENNA		
	54.1 Frequency : 138.025 MHz		
	54.2 51.5 inches whip antenna or better		
	54.3 Gain: 3 dBd or better		
	54.4 VSWR : 1.5 :1 or better		
	54.5 Power Rating : 150 watts or better		
	54.6 Magnet mount with cable and connector or better		
	54.7 Warranty : at least 1 year		
59a.	Chairs		
	59a.1 Seat width: 21"		
l	I .	I	

	59a.2 Seat height from the floor: 16.5" – 20.5"
	59a.3 Stool height : 23."- 31.5"
	59a.4 Seat depth : 17" -19.5 "
	59a.5 Overall chair height: 37" – 41"
	59a.6 Overall chair depth: 27"
	59a.7 Overall chair width : 26.5"
	59a.8 Arm height from seat : 7.25" – 10.25"
59b.	Tables
	59b.1 120cm x 60cm x 76cm (L x W x H)
	59b.2 Dark Brown
	59b.3 3 drawers
	59b.4 Item Material : PVC

(Name and Signature of the Authorized Signatory/Representative)

## Section VIII. Bidding Forms

# TABLE OF CONTENTS

BID FORM	77
CONTRACT AGREEMENT FORM	114
OMNIBUS SWORN STATEMENT	116
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	86
BID SECURING DECLARATION FORM	87

## **Bid Form**

	Invitation	Date: to Bid <sup>2</sup> N°:	
To: [name and address of P	rocuring Entity]		
Gentlemen and/or Ladies:			
numbers], the receipt of wh [supply/deliver/perform] [deliver/perform] [deliver/per	ich is hereby duly a escription of the G otal Bid amount in v	acknowledged, we, the undersigned, offer foods] in conformity with the said Bidd words and figures] or such other sums as n of Prices attached herewith and made part	to ing nay
We undertake, if our delivery schedule specified i	<b>±</b> ·	o deliver the goods in accordance with equirements.	the
If our Bid is accepted amounts, and within the time		provide a performance security in the for idding Documents.	rm,
•	shall remain bindin	d Validity Period specified in <u>BDS</u> provising upon us and may be accepted at any ti	
Commissions or gratui and to contract execution if v		to be paid by us to agents relating to this lead to the contract, are listed below: <sup>3</sup>	Bid,
Name and address of agent	Amount and Currency	Purpose of Commission or gratuity	
(if none, state "None	")		

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

<sup>&</sup>lt;sup>2</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>&</sup>lt;sup>3</sup> Applicable only if the Funding Source is the ADB, JICA or WB.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

		n each and every page of ground for the rejection	of this Bid Form, including of our bid.
Dated this	day of	20	<u></u> .
[signature]		[in the capacity of]	
Duly authorized to sig	gn Bid for and on be	half of	

# For Goods Offered From Abroad

N	ame of Bio	lder		]	. Invitation to Bid <sup>4</sup> Number Page o			of
				·				
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DD (col 4 x 8)
	: <del>-</del> 7				. 41	:4 Cl		_
	ignature] uly author	ized to si	ign Bid f	or and on behalf o	the capaci	ny ojj		

112

<sup>&</sup>lt;sup>4</sup> If ADB, JICA and WB funded projects, use IFB.

# For Goods Offered From Within the Philippines

Name of Bidder	. 1	Invitation to	Bid	[5]	Number	 Page	of_	

1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price EXW	Transportation	Sales and	Cost of	Total Price,	Total Price
		of origin		per item	and Insurance	other taxes	Incidental	per unit	delivered Final
					and all other	payable if	Services, if	(col 5+6+7+8)	Destination
					costs	Contract is	applicable, per		(col 9) x (col 4)
					incidental to	awarded, per	item		
					delivery, per	item			
					item				
<u> </u>									

[signature]	[in the capacity of]
Duly authorized to sign Bid for and on be	ehalf of

113

<sup>&</sup>lt;sup>5</sup> If ADB, JICA and WB funded projects, use IFB.

## **Contract Agreement Form**

,	ΓHIS AGREEMEN	T made the	day of	20	between	[name of
PROCU	RING ENTITY] of	the Philippines (he	ereinafter called "the	Entity")	of the one	part and
[name c	f Supplier] of [city	and country of Su	pplier] (hereinafter	called "th	e Supplier	") of the
other pa	rt:					

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (e.g. bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation;
  - (b) the Schedule of Requirements;
  - (c) the Technical Specifications;
  - (d) the General Conditions of Contract;
  - (e) the Special Conditions of Contract;
  - (f) the Performance Security; and
  - (g) the Entity's Notice of Award.
- 3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
- 4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Signed, sealed, delivered by	the	(for the Entity)
Signed, sealed, delivered by	the	(for the Supplier).

## **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)
CITY/MUNICIPALITY OF	) S.S.

#### **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

## 2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct:
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

### 6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

•	reunto set my hand this day of, 20 at
, Philippines.	
	Bidder's Representative/Authorized Signatory

<b>SUBSCRIBED AND SWORN</b> to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notaria
Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of governmen
identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at
Witness my hand and seal this day of [month] [year].
NAME OF NOTARY PUBLIC
Serial No. of Commission
Notary Public for until
Roll of Attorneys No.
PTR No[date issued], [place issued]
IBP No [date issued], [place issued]
Doc. No
Page No
Book No Series of
* This form will not apply for WB funded projects.

## **Bank Guarantee Form for Advance Payment**

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Signature and seal of the Guarantors

Yours truly,

[name of bank or financial institution]	
[address]	
[date]	

#### **BID SECURING DECLARATION FORM**

REPUBLIC OF THE PH	IILIPPINES)
CITY OF	) S.S.
X	X

## BID SECURING DECLARATION

**Invitation to Bid:** [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>6</sup>, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

<sup>&</sup>lt;sup>6</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at  Witness my hand and seal this day of [month] [year].  NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of

